

List of Publications – Micha Sharir (March 2026)

ARTICLES

1. I.M. Longman and M. Sharir, Laplace transform inversion of rational functions, *Geophys. J. Royal Astr. Soc.* 25 (1971), 299–305.
2. M. Sharir, Characterization and properties of extreme operators into $C(Y)$, *Israel J. Math.* 12 (1972), 174–183.
3. M. Sharir, Extremal structure in operator spaces, *Trans. Amer. Math. Soc.* 186 (1973), 91–111.
4. M. Sharir, A note on extreme operators in $A_0(K, E)$, *Proc. Amer. Math. Soc.* 46 (1974), 244–246.
5. M. Sharir, A counterexample on extreme operators, *Israel J. Math.* 24 (1976), 321–328.
6. M. Sharir, A non-nice extreme operator, *Israel J. Math.* 26 (1977), 306–312.
7. V.D. Milman and M. Sharir, Shrinking minimal systems and complementation of l_p^n spaces in reflexive Banach spaces, *Proc. London Math. Soc.* 39 (1979), 1–29.
8. V.D. Milman and M. Sharir, A new proof of the Maurey–Pisier theorem, *Israel J. Math.* 33 (1979), 73–87.
9. M. Sharir, Structural analysis — A new approach to flow analysis in optimizing compilers, *Comp. Languages* 5 (1980), 141–153.
10. E. Schonberg, J.T. Schwartz and M. Sharir, An automatic technique for selection of data representations in SETL programs, *ACM Trans. on Prog. Lang. and Systems* 3 (1981), 126–143.
11. M. Sharir, A strong connectivity algorithm and its applications in data flow analysis, *Computers Math. with Appls.* 7 (1981), 67–72.
12. M. Sharir, Formal integration — A program transformation technique, *Computer Languages* 6 (1981), 35–43.
13. M. Sharir, A strange sorting method inspired by formal differentiation, *Computers Math. with Appls.* 7 (1981), 293–298.
14. M. Sharir, Some observations concerning formal differentiation of set-theoretic expressions, *ACM Trans. on Prog. Lang. and Systems* 4 (1982), 196–225.
15. R.B.K. Dewar, M. Sharir and E. Weixelbaum, Transformational derivation of a garbage collection algorithm, *ACM Trans. on Prog. Lang. and Systems* 4 (1982), 650–667.
16. M. Sharir, Fast composition of sparse maps, *Inform. Process. Lett.* 15 (1982), 183–185.
17. R.B.K. Dewar, S. Merritt and M. Sharir, Some modified algorithms for Dijkstra’s longest upsequence problem, *Acta Informatica* 18 (1982), 1–15.
18. S. Freudenberger, J.T. Schwartz and M. Sharir, Experience with the SETL optimizer, *ACM Trans. on Prog. Lang. and Systems* 5 (1983), 26–45.
19. J.T. Schwartz and M. Sharir, On the Piano Movers’ problem: I. The case of a rigid polygonal body moving amidst polygonal barriers, *Comm. Pure and Appl. Math.* 36 (1983), 345–398.
20. S. Hart, M. Sharir and A. Pnueli, Termination of concurrent probabilistic programs, *ACM Trans. Prog. Languages and Systems* 5 (1983), 356–380.
21. J.T. Schwartz and M. Sharir, On the Piano Movers’ problem: II. General techniques for computing topological properties of real algebraic manifolds, *Advances in Appl. Math.* 4 (1983), 298–351.

22. J.T. Schwartz and M. Sharir, On the Piano Movers' problem: III. Coordinating the motion of several independent bodies: The special case of circular bodies moving amidst polygonal barriers, *Int. J. Robotics Research* 2(3) (1983), 46–75.
23. J.T. Schwartz and M. Sharir, Mathematical problems and training in robotics, *Notices Amer. Math. Soc.* 30 (1983), 478–481.
24. J.E. Hopcroft, J.T. Schwartz and M. Sharir, Efficient detection of intersections among spheres, *Int. J. Robotics Research* 2(4) (1983), 77–80.
25. M. Sharir, A. Pnueli and S. Hart, The verification of probabilistic programs, *SIAM J. Comput.* 13 (1984), 292–314.
26. M. Sharir and E. Ariel-Sheffi, On the Piano Movers' problem: IV. Various decomposable two-dimensional motion planning problems. *Comm. Pure Appl. Math.* 37 (1984), 479–493.
27. J.T. Schwartz and M. Sharir, On the Piano Movers' problem: V. The case of a rod moving in three-dimensional space amidst polyhedral obstacles, *Comm. Pure Appl. Math.* 37 (1984), 815–848.
28. J.E. Hopcroft, J.T. Schwartz and M. Sharir, On the complexity of motion planning for multiple independent objects; PSPACE hardness of the 'Warehouseman's Problem', *Int. J. Robotics Research* 3(4) (1984), 76–88.
29. M. Sharir, Intersection and closest-pair problems for a set of planar discs. *SIAM J. Comput.* 14 (1985), 448–468.
30. S. Hart and M. Sharir, Concurrent probabilistic programs, or: How to schedule if you must, *SIAM J. Comput.* 14 (1985), 991–1012.
31. K. Kedem, R. Livne, J. Pach and M. Sharir, On the union of Jordan regions and collision-free translational motion amidst polygonal obstacles, *Discrete Comput. Geom.* 1 (1986), 59–71.
32. M. Sharir and A. Schorr, On shortest paths in polyhedral spaces, *SIAM J. Comput.* 15 (1986), 193–215.
33. C. Ó'Dúnlaing, M. Sharir and C. Yap, Generalized Voronoi diagrams for moving a ladder: I. Topological analysis, *Comm. Pure Appl. Math.* 39 (1986), 423–483.
34. C.M. Bastuscheck, E. Schonberg, J.T. Schwartz and M. Sharir, Object recognition by 3-dimensional curve matching, *Int. J. of Intelligent Systems* 1 (1986), 105–132.
35. S. Hart and M. Sharir, Probabilistic propositional temporal logics, *Information and Control* 70 (1986), 97–155.
36. S. Hart and M. Sharir, Nonlinearity of Davenport–Schinzel sequences and of generalized path compression schemes, *Combinatorica* 6 (2) (1986), 151–177.
37. A. Kalvin, E. Schonberg, J. Schwartz and M. Sharir, Two dimensional model based boundary matching using footprints, *Int. J. Robotics Research* 5(4) (1986), 38–55.
38. D. Leven and M. Sharir, Planning a purely translational motion for a convex object in two-dimensional space using generalized Voronoi diagrams, *Discrete Comput. Geom.* 2 (1987), 9–31.
39. C. Ó'Dúnlaing, M. Sharir and C. Yap, Generalized Voronoi diagrams for a ladder: II. Efficient construction of the diagram, *Algorithmica* 2 (1987), 27–59.
40. R. Cole, M. Sharir and C. Yap, On k -hulls and related problems, *SIAM J. Comput.* 16 (1987), 61–77.
41. M. Sharir, On shortest paths amidst convex polyhedra, *SIAM J. Comput.* 16 (1987), 561–572.
42. D. Leven and M. Sharir, An efficient and simple motion planning algorithm for a ladder moving in 2-dimensional space amidst polygonal barriers, *J. of Algorithms* 8 (1987), 192–215.

43. M. Sharir, Almost linear upper bounds for the length of general Davenport–Schinzel sequences, *Combinatorica* 7 (1987), 131–143.
44. D. Leven and M. Sharir, On the number of critical free contacts of a convex polygonal object moving in two-dimensional polygonal space, *Discrete Comput. Geom.* 2 (1987), 255–270.
45. J.T. Schwartz and M. Sharir, Identification of partially obscured objects in two and three dimensions by matching of noisy ‘characteristic curves’, *Int. J. Robotics Research* 6 (2) (1987), 29–44.
46. L. Guibas, J. Hershberger, D. Leven, M. Sharir and R.E. Tarjan, Linear time algorithms for visibility and shortest path problems inside triangulated simple polygons, *Algorithmica* 2 (1987), 209–233.
47. S. Sifrony and M. Sharir, A new efficient motion planning algorithm for a rod in two-dimensional polygonal space, *Algorithmica* 2 (1987), 367–402.
48. B. Mishra, J.T. Schwartz and M. Sharir, On the existence and synthesis of multifinger positive grips, *Algorithmica* 2 (1987), 541–558.
49. A. Wiernik and M. Sharir, Planar realization of nonlinear Davenport–Schinzel sequences by segments, *Discrete Comput. Geom.* 3 (1988), 15–47.
50. R. Pollack, M. Sharir and S. Sifrony, Separating two simple polygons by a sequence of translations, *Discrete Comput. Geom.* 3 (1988), 123–136.
51. W. Lenhart, R. Pollack, J. Sack, M. Sharir, R. Seidel, S. Suri, G. Toussaint, S. Whitesides and C. Yap, Computing the link center of a simple polygon, *Discrete Comput. Geom.* 3 (1988), 281–293.
52. A. Baltsan and M. Sharir, On shortest paths between two convex polyhedra, *J. Assoc. Comput. Mach.* 35 (1988), 267–287.
53. M. Sharir, Improved lower bounds on the length of Davenport–Schinzel sequences, *Combinatorica* 8 (1988), 117–124.
54. J.T. Schwartz and M. Sharir, A survey of motion planning and related geometric algorithms, *Artificial Intelligence* 37 (1988), 157–169. (Also in *Geometric Reasoning* (D. Kapur and J. Mundy, eds.), M.I.T. Press, Cambridge, MA, 1989, pp. 157–169, and in *Autonomous Mobile Robots*, Vol. I (S.S. Iyengar and A. Elfes, eds.), IEEE Computer Society Press, Los Alamitos, CA, 1991, pp. 365–374.)
55. M. Sharir, The shortest watchtower and related problems for polyhedral terrains, *Inform. Process. Lett.* 29 (1988), 265–270.
56. R. Cole and M. Sharir, Visibility problems for polyhedral terrains, *J. Symbolic Computation* 7 (1989), 11–30.
57. M. Sharir, Algorithmic motion planning in robotics, *Computer* 22 (1989), 9–20.
58. J. Pach and M. Sharir, The upper envelope of piecewise linear functions and the boundary of a region enclosed by convex plates: Combinatorial analysis, *Discrete Comput. Geom.* 4 (1989), 291–309.
59. H. Edelsbrunner, L. Guibas and M. Sharir, The upper envelope of piecewise linear functions: Algorithms and applications, *Discrete Comput. Geom.* 4 (1989), 311–336.
60. P. Agarwal, M. Sharir and P. Shor, Sharp upper and lower bounds for the length of general Davenport–Schinzel sequences, *J. Combin. Theory, Ser. A* 52 (1989), 228–274.
61. H. Edelsbrunner, L. Guibas, J. Hershberger, R. Seidel, M. Sharir, J. Snoeyink and E. Welzl, Implicitly representing arrangements of lines or segments, *Discrete Comput. Geom.* 4 (1989), 433–466.

62. L. Guibas, M. Sharir and S. Sifrony, On the general motion planning problem with two degrees of freedom, *Discrete Comput. Geom.* 4 (1989), 491–521.
63. H. Edelsbrunner, L. Guibas, J. Hershberger, J. Pach, R. Pollack, R. Seidel, M. Sharir and J. Snoeyink, On arrangements of Jordan arcs with three intersections per pair, *Discrete Comput. Geom.* 4 (1989), 523–539.
64. R. Pollack, M. Sharir and G. Rote, Computing of the geodesic center of a simple polygon, *Discrete Comput. Geom.* 4 (1989), 611–626.
65. M. Sharir, A note on the Papadimitriou–Silverberg algorithm for planning optimal piecewise linear motion of a ladder, *Inform. Process. Lett.* 32 (1989), 187–190.
66. H. Edelsbrunner and M. Sharir, The maximum number of ways to stab n convex non-intersecting objects in the plane is $2n - 2$, *Discrete Comput. Geom.* 5 (1990), 35–42.
67. K. Kedem and M. Sharir, An efficient motion planning algorithm for a convex rigid polygonal object in 2-dimensional polygonal space, *Discrete Comput. Geom.* 5 (1990), 43–75.
68. B. Aronov and M. Sharir, Triangles in space, or: Building (and analyzing) castles in the air, *Combinatorica* 10 (2) (1990), 137–173.
69. K. Clarkson, H. Edelsbrunner, L. Guibas, M. Sharir and E. Welzl, Combinatorial complexity bounds for arrangements of curves and spheres, *Discrete Comput. Geom.* 5 (1990), 99–160.
70. H. Edelsbrunner, L. Guibas and M. Sharir, The complexity and construction of many faces in arrangements of lines and of segments, *Discrete Comput. Geom.* 5 (1990), 161–196.
71. H. Edelsbrunner, L. Guibas and M. Sharir, The complexity of many cells in arrangements of planes and related problems, *Discrete Comput. Geom.* 5 (1990), 197–216.
72. P. Agarwal and M. Sharir, Red–blue intersection detection algorithms, with applications to collision detection and motion planning, *SIAM J. Comput.* 19 (1990), 297–321.
73. M. Overmars, H. Schipper and M. Sharir, Storing line segments in partition trees, *BIT* 30 (1990), 385–403.
74. J.T. Schwartz and M. Sharir, On the two-dimensional Davenport Schinzel problem, *J. Symbolic Computation* 10 (1990), 371–393.
75. B. Chazelle and M. Sharir, An algorithm for generalized point location and its applications, *J. Symbolic Computation* 10 (1990), 281–309.
76. M. Sharir and S. Sifrony, Coordinated motion planning for two independent robots, *Annals Math. Artif. Intell.* 3 (1991), 107–130.
77. J. Pach and M. Sharir, On vertical visibility in arrangements of segments and the queue size in the Bentley–Ottmann line sweeping algorithm, *SIAM J. Comput.* 20 (1991), 460–470.
78. M. Sharir and S.S. Skiena, Tight bounds on a problem of lines and intersections, *Discrete Math.* 89 (1991) 313–314.
79. H. Edelsbrunner and M. Sharir, A hyperplane incidence problem with applications to counting distances, in *Applied Geometry and Discrete Mathematics; The Victor Klee’s Festschrift* (P. Gritzman and B. Sturmfels, eds.), AMS Press, Providence, RI, 1991, 253–263.
80. M. Overmars and M. Sharir, Merging visibility maps, *Comput. Geom. Theory Appl.* 1 (1991), 35–49.
81. P. Agarwal and M. Sharir, Off line dynamic maintenance of the width of a planar point set, *Comput. Geom. Theory Appl.* 1 (1991), 65–78.
82. B. Aronov, B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir and R. Wenger, Points and triangles in the plane and halving planes in space, *Discrete Comput. Geom.* 6 (1991), 435–442.

83. B. Chazelle, H. Edelsbrunner, L. Guibas and M. Sharir, A singly exponential stratification scheme for real semi-algebraic varieties and its applications, *Theoretical Computer Science* 84 (1991), 77–105.
84. M. Sharir, On k -sets in arrangements of curves and surfaces, *Discrete Comput. Geom.* 6 (1991), 593–613.
85. D. Halperin and M. Sharir, On disjoint concave chains in arrangements of (pseudo)lines, *Inform. Process. Lett.* 40 (1991), 189–192.
86. J. Pach and M. Sharir, Repeated angles in the plane and related problems, *J. Combin. Theory, Ser. A* 59 (1992), 12–22.
87. D. Halperin, M. Overmars and M. Sharir, Efficient motion planning for an L-shaped object in the plane, *SIAM J. Comput.* 21 (1992), 1–23.
88. H. Edelsbrunner, L. Guibas, J. Pach, R. Pollack, R. Seidel and M. Sharir, Arrangements of curves in the plane – Topology, combinatorics, and algorithms, *Theoretical Computer Science* 92 (1992), 319–336.
89. M. Sharir and M. Overmars, A simple output sensitive hidden surface removal algorithm, *ACM Trans. Graphics* 11 (1992), 1–11.
90. L. Guibas, D.E. Knuth and M. Sharir, Randomized incremental construction of Voronoi and Delaunay diagrams, *Algorithmica* 7 (1992), 381–413.
91. D. Halperin and M. Sharir, Improved combinatorial bounds and efficient techniques for certain motion planning problems with three degrees of freedom, *Comput. Geom. Theory Appls.* 1 (1992), 269–303.
92. J.T. Schwartz and M. Sharir, Finding effective ‘force targets’ for two-dimensional multifinger frictional grips, *Algorithmica* 8 (1992), 1–20.
93. B. Chazelle, H. Edelsbrunner, L.J. Guibas, R. Pollack, R. Seidel, M. Sharir and J. Snoeyink, Counting and cutting cycles of lines and rods in space, *Comput. Geom. Theory Appls.* 1 (1992), 305–323.
94. B. Aronov, H. Edelsbrunner, L. Guibas and M. Sharir, Improved bounds on the number of edges of many faces in arrangements of line segments, *Combinatorica* 12 (1992), 261–274.
95. B. Chazelle, M. Sharir and E. Welzl, Quasi optimal upper bounds for simplex range searching and new zone theorems, *Algorithmica* 8 (1992), 407–429.
96. M. Katz, M. Overmars and M. Sharir, Efficient output sensitive hidden surface removal for objects with small union size, *Comput. Geom. Theory Appls.* 2 (1992), 223–234.
97. P. Agarwal and M. Sharir, Circular visibility of a simple polygon from a fixed point, *Int. J. Comput. Geom. Appls.* 3 (1993), 1–25.
98. P. Agarwal and M. Sharir, Circle shooting inside a simple polygon, *J. Algorithms* 14 (1993), 68–87.
99. P.K. Agarwal and M. Sharir, Applications of a new space partitioning technique, *Discrete Comput. Geom.* 9 (1993), 11–38.
100. B. Aronov, M. Pellegrini and M. Sharir, On the zone of a surface in a hyperplane arrangement, *Discrete Comput. Geom.* 9 (1993), 177–186.
101. P. Agarwal, B. Aronov, M. Sharir and S. Suri, Selecting distances in the plane, *Algorithmica* 9 (1993), 495–514.
102. H. Edelsbrunner, R. Seidel and M. Sharir, On the zone theorem in hyperplane arrangements, *SIAM J. Comput.* 22 (1993), 418–429.

103. D. Huttenlocher, K. Kedem and M. Sharir, The upper envelope of Voronoi surfaces and its applications, *Discrete Comput. Geom.* 9 (1993), 267–291.
104. B. Chazelle, H. Edelsbrunner, L. Guibas and M. Sharir, Diameter, width, closest line pair, and parametric searching, *Discrete Comput. Geom.* 10 (1993), 183–196.
105. P. Agarwal, M. Pellegrini and M. Sharir, Counting circular arc intersections, *SIAM J. Comput.* 22 (1993), 778–793.
106. P.K. Agarwal, A. Efrat, M. Sharir and S. Toledo, Computing a segment-center for a planar point set, *J. Algorithms* 15 (1993), 314–323.
107. K. Mehlhorn, M. Sharir and E. Welzl, Tail estimates for the efficiency of randomized incremental algorithms for line segment intersection, *Comput. Geom. Theory Appl.* 3 (1993), 235–246.
108. M. Katz and M. Sharir, Optimal slope selection via expanders, *Inform. Process. Lett.* 47 (1993), 115–122.
109. A. Efrat, G. Rote and M. Sharir, On the union of fat wedges and separating a collection of segments by a line, *Comput. Geom. Theory Appl.* 3 (1993), 277–288.
110. B. Aronov, D.Q. Naiman, J. Pach and M. Sharir, An invariant property of balls in arrangements of hyperplanes, *Discrete Comput. Geom.* 10 (1993), 421–425.
111. B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir and J. Snoeyink, Computing a face in an arrangement of line segments and related problems, *SIAM J. Comput.* 22 (1993), 1286–1302.
112. M. Sharir, k -sets and random hulls, *Combinatorica* 13 (1993), 483–495.
113. B. Chazelle, H. Edelsbrunner, L. Guibas and M. Sharir, Algorithms for bichromatic line segment problems and polyhedral terrains, *Algorithmica* 11 (1994), 116–132.
114. P. Agarwal and M. Sharir, Planar geometric location problems, *Algorithmica* 11 (1994), 185–195.
115. J. Matoušek, J. Pach, M. Sharir, S. Sifrony and E. Welzl, Fat triangles determine linearly many holes, *SIAM J. Comput.* 23 (1994), 154–169.
116. B. Aronov, J. Matoušek and M. Sharir, On the sum of squares of cell complexities in hyperplane arrangements, *J. Combin. Theory, Ser. A* 65 (1994), 311–321.
117. M. Overmars and M. Sharir, An improved technique for output-sensitive hidden surface removal, *Algorithmica* 11 (1994), 469–484.
118. M. Sharir and S. Toledo, Extremal polygon containment problems, *Comput. Geom. Theory Appl.* 4 (1994), 99–118.
119. B. Aronov and M. Sharir, Castles in the air revisited, *Discrete Comput. Geom.* 12 (1994), 119–150.
120. M. Sharir, On joints in arrangements of lines in space and related problems, *J. Combin. Theory, Ser. A* 67 (1994), 89–99.
121. A. Efrat, M. Sharir and A. Ziv, Computing the smallest k -enclosing circle and related problems, *Comput. Geom. Theory Appl.* 4 (1994), 119–136.
122. S. Cappell, J.E. Goodman, J. Pach, R. Pollack, M. Sharir and R. Wenger, Common tangents and common transversals, *Advances in Math.* 106 (1994), 198–215.
123. J. Reif and M. Sharir, Motion planning in the presence of moving obstacles, *J. Assoc. Comput. Mach.* 41 (1994), 764–790.
124. P.K. Agarwal and M. Sharir, On the number of views of polyhedral terrains, *Discrete Comput. Geom.* 12 (1994), 177–182.

125. D. Halperin and M. Sharir, New bounds for lower envelopes in three dimensions with applications to visibility of terrains, *Discrete Comput. Geom.* 12 (1994), 313–326.
126. M. Sharir, Almost tight upper bounds for lower envelopes in higher dimensions, *Discrete Comput. Geom.* 12 (1994), 327–345.
127. P.K. Agarwal, M. Sharir and S. Toledo, New applications of parametric searching in computational geometry. *J. Algorithms* 17 (1994), 292–318.
128. B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, J. Hershberger, M. Sharir and J. Snoeyink, Ray shooting in polygons using geodesic triangulations, *Algorithmica* 12 (1994), 54–68.
129. D. Halperin and M. Sharir, Corrigendum: On disjoint concave chains in arrangements of (pseudo) lines, *Inform. Process. Lett.* 51 (1994), 53–56.
130. B. Chazelle, H. Edelsbrunner, L. Guibas, J. Hershberger, R. Seidel and M. Sharir, Selecting heavily covered points, *SIAM J. Comput.* 23 (1994), 1138–1151.
131. B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, M. Sharir and E. Welzl, Improved bounds for weak ϵ -nets for convex sets, *Discrete Comput. Geom.* 13 (1995), 1–15.
132. G. Barequet and M. Sharir, Filling gaps in the boundary of a polyhedron, *Computer Aided Geometric Design* 12 (1995), 207–229.
133. B. Chazelle, J. Matoušek and M. Sharir, An elementary approach to lower bounds in geometric discrepancy, *Discrete Comput. Geom.* 13 (1995), 363–381.
134. L. Guibas, D. Halperin, J. Matoušek and M. Sharir, On vertical decomposition of arrangements of hyperplanes in four dimensions, *Discrete Comput. Geom.* 14 (1995), 113–122.
135. D. Halperin and M. Sharir, Almost tight upper bounds for the single cell and zone problems in three dimensions, *Discrete Comput. Geom.* 14 (1995), 385–410.
136. M. de Berg, L. Guibas, D. Halperin, M. Overmars, O. Schwarzkopf, M. Sharir and M. Teillaud, Reaching a goal with directional uncertainty, *Theoretical Computer Science* 140 (1995), 301–317.
137. P. Agarwal, M. Katz and M. Sharir, Computing depth order and related problems, *Comput. Geom. Theory Appl.* 5 (1995), 187–206.
138. P.K. Agarwal, O. Schwarzkopf and M. Sharir, The overlay of lower envelopes in 3-space and its applications, *Discrete Comput. Geom.* 15 (1996), 1–13.
139. P.K. Agarwal and M. Sharir, Ray shooting amidst convex polyhedra and polyhedral terrains in three dimensions, *SIAM J. Comput.* 25 (1996), 100–116.
140. G. Barequet and M. Sharir, Piecewise-linear interpolation between polygonal slices, *Computer Vision and Image Understanding* 63 (1996), 251–272.
141. B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir and J. Stolfi, Lines in space: Combinatorics and algorithms, *Algorithmica* 15 (1996), 428–447.
142. D. Halperin and M. Sharir, A near-quadratic algorithm for planning the motion of a polygon in a polygonal environment, *Discrete Comput. Geom.* 16 (1996), 121–134.
143. J. Matoušek, M. Sharir and E. Welzl, A subexponential bound for linear programming and related problems, *Algorithmica* 16 (1996), 498–516.
144. M. Sharir, Excess in arrangements of segments, *Inform. Process. Lett.* 58 (1996), 245–247.
145. A. Efrat and M. Sharir, A near-linear algorithm for the planar segment center problem, *Discrete Comput. Geom.* 16 (1996), 239–257.
146. P.K. Agarwal and M. Sharir, Efficient randomized algorithms for some geometric optimization problems, *Discrete Comput. Geom.* 16 (1996), 317–337.

147. P.K. Agarwal and M. Sharir, Ray shooting amidst convex polygons in two dimensions, *J. Algorithms* 21 (1996), 508–519.
148. K. Kedem, M. Sharir and S. Toledo, On critical orientations in the Kedem-Sharir motion planning algorithm, *Discrete Comput. Geom.* 17 (1997), 227–239.
149. M. Sharir, A near-linear algorithm for the planar 2-center problem, *Discrete Comput. Geom.* 18 (1997), 125–134.
150. S. Mohabian and M. Sharir, Ray shooting amidst spheres in 3 dimensions and related problems, *SIAM J. Comput.* 26 (1997), 654–674.
151. P. Agarwal, B. Aronov, J. Pach, R. Pollack and M. Sharir, Quasi-planar graphs have a linear number of edges, *Combinatorica* 17 (1997), 1–9.
152. B. Aronov and M. Sharir, The common exterior of convex polygons in the plane, *Comput. Geom. Theory Appl.* 8 (1997), 139–149.
153. O. Schwarzkopf and M. Sharir, Vertical decomposition of a single cell in a 3-dimensional arrangement of surfaces, *Discrete Comput. Geom.* 18 (1997), 269–288.
154. G. Barequet and M. Sharir, Partial surface and volume matching in three dimensions, *IEEE Trans. on Pattern Analysis and Machine Intelligence* 19 (9) (1997), 929–948.
155. M.J. Katz and M. Sharir, An expander-based approach to geometric optimization, *SIAM J. Comput.* 26 (1997), 1384–1408.
156. B. Aronov, M. Sharir and B. Tagansky, The union of convex polyhedra in three dimensions, *SIAM J. Comput.* 26 (1997), 1670–1688.
157. B. Aronov and M. Sharir, On translational motion planning of a convex polyhedron in 3-space, *SIAM J. Comput.* 26 (1997), 1785–1803.
158. P.K. Agarwal, B. Aronov and M. Sharir, Computing envelopes in four dimensions with applications, *SIAM J. Comput.* 26 (1997), 1714–1732.
159. P.K. Agarwal, S. Har-Peled, M. Sharir and K. Varadarajan, Approximate shortest paths on a convex polytope in three dimensions, *J. Assoc. Comput. Mach.* 44 (1997), 567–584.
160. P. Agarwal, N. Amenta and M. Sharir, Largest placement of one convex polygon inside another, *Discrete Comput. Geom.* 19 (1998), 95–104.
161. P. Agarwal, B. Aronov, T. Chan and M. Sharir, On levels in arrangements of lines, segments, planes, and triangles, *Discrete Comput. Geom.* 19 (1998), 315–331.
162. J.D. Boissonnat, M. Sharir, B. Tagansky and M. Yvinec, Voronoi diagrams in higher dimensions under certain polyhedral distance functions, *Discrete Comput. Geom.* 19 (1998), 485–519.
163. J. Pach and M. Sharir, On the number of incidences between points and curves. *Combinatorics, Probability and Computing* 7 (1998), 121–127.
164. P. Agarwal, M. Sharir and E. Welzl, The discrete 2-center problem. *Discrete Comput. Geom.* 20 (1998), 287–305.
165. L.P. Chew, K. Kedem, M. Sharir, B. Tagansky and E. Welzl, Voronoi diagrams of lines in three dimensions under polyhedral convex distance functions, *J. Algorithms* 29 (1998), 238–255.
166. P. Agarwal and M. Sharir, Efficient algorithms for geometric optimization, *ACM Computing Surveys* 30 (1998), 412–458.
167. G. Barequet and M. Sharir, Partial surface matching by using directed footprints. *Comput. Geom. Theory Appl.* 12 (1999), 45–62.

168. J. Pach and M. Sharir, On the boundary of the union of planar convex sets, *Discrete Comput. Geom.* 21 (1999), 321–328.
169. P. Agarwal, B. Aronov and M. Sharir, Line transversals of balls and smallest enclosing cylinders in three dimensions, *Discrete Comput. Geom.* 21 (1999), 373–388.
170. P. Agarwal, B. Aronov and M. Sharir, Motion planning for a convex polygon in a polygonal environment, *Discrete Comput. Geom.* 22 (1999), 201–221.
171. A. Efrat and M. Sharir, The complexity of the union of fat objects in the plane, *Discrete Comput. Geom.* 23 (2000), 171–189.
172. S. Smorodinsky, J. Mitchell and M. Sharir, Geometric permutations of pairwise disjoint balls, *Discrete Comput. Geom.* 23 (2000), 247–259.
173. A. Efrat, M.J. Katz, F. Nielsen and M. Sharir, Dynamic data structures for fat objects and their applications, *Comput. Geom. Theory Appl.* 15 (2000), 215–227.
174. P. Agarwal, A. Efrat and M. Sharir, Vertical decomposition of shallow levels in 3-dimensional arrangements and its applications, *SIAM J. Comput.* 29 (2000), 912–953.
175. P. Agarwal and M. Sharir, Pipes, cigars, and kreplach: The union of Minkowski sums in three dimensions. *Discrete Comput. Geom.* 24 (2000), 645–685.
176. P. Agarwal, B. Aronov, S. Har-Peled and M. Sharir, Approximation algorithms for minimum-width annuli and shells. *Discrete Comput. Geom.* 24 (2000), 687–705.
177. P.K. Agarwal, L. Guibas, S. Har-Peled, A. Rabinovitch and M. Sharir, Computing the penetration depth of two convex polytopes in three dimensions, *Nordic Journal of Computing* 7 (2000), 227–240.
178. B. Aronov, A. Efrat, D. Halperin and M. Sharir, On the number of regular vertices of the union of Jordan regions, *Discrete Comput. Geom.* 25 (2001), 203–220.
179. S. Har-Peled and M. Sharir, On-line point location in planar arrangements and its applications, *Discrete Comput. Geom.* 26 (2001), 19–40.
180. M. Sharir, S. Smorodinsky and G. Tardos, An improved bound for k -sets in three dimensions, *Discrete Comput. Geom.* 26 (2001), 195–204.
181. P. Agarwal, B. Aronov and M. Sharir, Exact and approximation algorithms for minimum-width cylindrical shells. *Discrete Comput. Geom.* 26 (2001), 307–320.
182. J. Pach and M. Sharir, Radial points in the plane, *European J. Combinatorics* 22 (2001), 855–863.
183. N. Alon, H. Last, R. Pinchasi and M. Sharir, On the complexity of arrangements of circles in the plane, *Discrete Comput. Geom.* 26 (2001), 465–492.
184. D. Halperin, M. Sharir and K. Goldberg, The 2-center problem with obstacles, *J. Algorithms* 42 (2002), 109–134.
185. P. Agarwal and M. Sharir, On the number of congruent simplices in a point set, *Discrete Comput. Geom.* 28 (2002), 123–150.
186. B. Aronov and M. Sharir, Cutting circles into pseudo-segments and improved bounds for incidences, *Discrete Comput. Geom.* 28 (2002), 475–490.
187. P. Agarwal, M. de Berg, S. Har-Peled, M. Overmars, M. Sharir and J. Vahrenhold, Reporting intersecting pairs of polytopes in two and three dimensions, *Comput. Geom. Theory Appl.* 23 (2002), 195–207.
188. G. Pustyl'nik and M. Sharir, The Minkowski sum of a simple polygon and a segment, *Inform. Process. Lett.* 85 (2003), 179–184.

189. M. Sharir, The Clarkson-Shor technique revisited and extended, *Combinatorics, Probability and Computing* 12 (2003), 191–201.
190. M. Sharir and S. Smorodinsky, Neighbors in geometric permutations, *Discrete Math.* 268 (2003), 327–335.
191. V. Koltun and M. Sharir, Three-dimensional Euclidean Voronoi diagrams of lines with a fixed number of orientations, *SIAM J. Comput.* 32 (2003), 616–642.
192. J. Pach, I. Safruti and M. Sharir, The union of congruent cubes in three dimensions, *Discrete Comput. Geom.* 30 (2003), 133–160.
193. V. Koltun and M. Sharir, The partition technique for the overlay of envelopes, *SIAM J. Comput.* 32 (2003), 841–863.
194. E. Ezra, D. Halperin and M. Sharir, Speeding up the incremental construction of the union of geometric objects in practice, *Comput. Geom. Theory Appl.* 27 (2004), 63–85.
195. B. Aronov, R. Schifffenbauer and M. Sharir, On the number of views of translates of a cube and related problems, *Comput. Geom. Theory Appl.* 27 (2004), 179–192.
196. V. Koltun and M. Sharir, Polyhedral Voronoi diagrams of polyhedra in three dimensions, *Discrete Comput. Geom.* 31 (2004), 83–124.
197. A. Dumitrescu, J.S.B. Mitchell and M. Sharir, Binary space partitions for axis-parallel segments, rectangles, and hyperrectangles, *Discrete Comput. Geom.* 31 (2004), 207–227.
198. M. Sharir and E. Welzl, Point-line incidences in space, *Combinatorics, Probability and Computing* 13 (2004), 203–220.
199. B. Aronov, J. Pach, M. Sharir and G. Tardos, Distinct distances in three and higher dimensions, *Combinatorics, Probability and Computing* 13 (2004), 283–293.
200. S. Smorodinsky and M. Sharir, Selecting points that are heavily covered by pseudo-circles, spheres, or rectangles. *Combinatorics, Probability and Computing* 13 (2004), 389–411.
201. B. Aronov and M. Sharir, Cell complexities in hyperplane arrangements, *Discrete Comput. Geom.* 32 (2004), 107–115.
202. P. Agarwal, E. Nevo, J. Pach, R. Pinchasi, M. Sharir and S. Smorodinsky, Lenses in arrangements of pseudocircles and their applications, *J. ACM* 51 (2004), 139–186.
203. S. Dekel, D. Leviatan and M. Sharir, On bivariate smoothness spaces associated with nonlinear approximation, *Constructive Approximation* 20 (2004), 625–646.
204. J. Pach, R. Pinchasi and M. Sharir, On the number of directions determined by a three-dimensional point set, *J. Combinat. Theory, Ser. A* 108 (2004), 1–16.
205. B. Aronov, V. Koltun and M. Sharir, Incidences between points and circles in three and higher dimensions, *Discrete Comput. Geom.* 33 (2005), 185–206.
206. B. Aronov, V. Koltun and M. Sharir, Cutting triangular cycles of lines in space. *Discrete Comput. Geom.* 33 (2005), 231–247.
207. S. Feldman and M. Sharir, An improved bound for joints in arrangements of lines in space, *Discrete Comput. Geom.* 33 (2005), 307–320.
208. M. Sharir and H. Shaul, Ray shooting and stone throwing with near-linear storage, *Comput. Geom. Theory Appl.* 30 (2005), 239–252.
209. V. Kaibel, R. Mechtel, M. Sharir and G. Ziegler, The simplex algorithm in dimension three, *SIAM J. Comput.* 34 (2005), 475–497.
210. R. Seidel and M. Sharir, Top-down analysis of path compression, *SIAM J. Comput.* 34 (2005), 515–525.

211. P. Agarwal and M. Sharir, Pseudoline arrangements: Duality, algorithms and applications, *SIAM J. Comput.* 34 (2005), 526–552.
212. V. Koltun and M. Sharir, Curve-sensitive cuttings, *SIAM J. Comput.* 34 (2005), 863–878.
213. P. Agarwal, B. Aronov, V. Koltun and M. Sharir, On lines avoiding unit balls in three dimensions, *Discrete Comput. Geom.* 34 (2005), 231–250.
214. E. Ezra and M. Sharir, Output sensitive construction of the union of triangles, *SIAM J. Comput.* 34 (2005), 1331–1351.
215. N. Alon, J. Pach, R. Pinchasi, R. Radoičić and M. Sharir, Crossing patterns of semialgebraic sets, *J. Combinat. Theory, Ser. A* 111 (2005), 310–326.
216. E. Ezra and M. Sharir, Counting and representing intersections among triangles in three dimensions, *Comput. Geom. Theory Appl.* 32 (2005), 196–215.
217. J. Pach, R. Pinchasi, M. Sharir and G. Tóth, Topological graphs with no large grids, *Graphs and Combinatorics* 21 (2005), 355–364.
218. R. Apfelbaum and M. Sharir, Repeated angles in three and four dimensions, *SIAM J. Discrete Math.* 19 (2005), 294–300.
219. R. Pinchasi and M. Sharir, On graphs that do not contain the cube and related problems, *Combinatorica* 25 (2005), 615–624.
220. J. Matoušek, M. Sharir, S. Smorodinsky and U. Wagner, On k -sets in four dimensions, *Discrete Comput. Geom.* 35 (2006), 177–191.
221. E. Oks and M. Sharir, Minkowski sums of monotone and general simple polygons, *Discrete Comput. Geom.* 35 (2006), 223–240.
222. R. Pinchasi, R. Radoičić and M. Sharir, On empty convex polygons in a planar point set, *J. Combinat. Theory, Ser. A* 113 (2006), 385–419.
223. B. Aronov, A. Efrat, V. Koltun and M. Sharir, On the union of κ -round objects in three and four dimensions, *Discrete Comput. Geom.* 36 (2006), 511–526.
224. M. Sharir and E. Welzl, On the number of crossing-free matchings, cycles, and partitions. *SIAM J. Comput.* 36 (2006), 695–720.
225. P. Agarwal, M. Overmars and M. Sharir, Computing maximally separated sets in the plane and independent sets in the intersection graph of unit disks, *SIAM J. Comput.* 36 (2006), 815–834.
226. K. Chen, A. Fiat, H. Kaplan, M. Levy, J. Matoušek, E. Mossel, J. Pach, M. Sharir, S. Smorodinsky, U. Wagner and E. Welzl, Online conflict-free coloring for intervals. *SIAM J. Comput.* 36 (2007), 1342–1359.
227. G. Alexandron, H. Kaplan and M. Sharir, Kinetic and dynamic data structures for convex hulls and upper envelopes, *Comput. Geom. Theory Appl.* 36 (2007), 144–158.
228. E. Ezra and M. Sharir, A single cell in an arrangement of convex polyhedra in R^3 , *Discrete Comput. Geom.* 37 (2007), 21–41.
229. J. Pach, R. Pinchasi and M. Sharir, Solution of Scott’s problem on the number of directions determined by a point set in 3-space, *Discrete Comput. Geom.* 38 (2007), 399–441.
230. R. Apfelbaum and M. Sharir, Large bipartite graphs in incidence graphs of points and hyperplanes, *SIAM J. Discrete Math.* 21 (2007), 707–725.
231. P. Agarwal, R. Klein, C. Knauer, S. Langerman, P. Morin, M. Sharir and M. Soss, Computing the maximum detour and spanning ratio of paths, trees and cycles in 2D and 3D, *Discrete Comput. Geom.* 39 (2008), 17–37.

232. Y. Schreiber and M. Sharir, An optimal algorithm for shortest paths on a convex polytope in three dimensions, *Discrete Comput. Geom.* 39 (2008), 500–579.
233. E. Ezra, M. Sharir and A. Efrat, On the ICP algorithm, *Comput. Geom. Theory Appl.* 41 (2008), 77–93.
234. H. Kaplan, N. Rubin, M. Sharir and E. Verbin, Efficient colored orthogonal range counting, *SIAM J. Comput.* 38 (2008), 982–1011.
235. M. van Kreveld, J. Mitchell, P. Rousseeuw, M. Sharir, J. Snoeyink and B. Speckmann, Efficient algorithms for maximum regression depth, *Discrete Comput. Geom.* 39 (2008), 656–677.
236. J. Pach and M. Sharir, On planar intersection graphs with forbidden subgraphs, *J. Graph Theory* 59 (2008), 205–214.
237. N. Alon, H. Kaplan, G. Nivasch, M. Sharir and S. Smorodinsky, Weak ε -nets and interval chains, *J. ACM* 55 (2008), Article 28.
238. P.K. Agarwal, H. Kaplan and M. Sharir, Kinetic and dynamic data structures for closest pairs and nearest neighbors, *ACM Trans. Algorithms* 5 (2008), Article 4 (37 pp.).
239. P.K. Agarwal, M. Sharir and E. Welzl, Algorithms for center and Tverberg points, *ACM Trans. Algorithms* 5 (2008), Article 5 (20 pp.).
240. G. Nivasch and M. Sharir, Eppstein’s bound on intersecting triangles revisited, *J. Combinat. Theory, Ser. A* 116 (2009), 494–497.
241. E. Ezra, J. Pach and M. Sharir, On regular vertices of the union of planar convex objects, *Discrete Comput. Geom.* 41 (2009), 216–231.
242. V. Koltun and M. Sharir, On overlays and minimization diagrams, *Discrete Comput. Geom.* 41 (2009), 385–397.
243. K. Chen, H. Kaplan and M. Sharir, Online conflict-free coloring for halfplanes, congruent disks, and axis-parallel rectangles, *ACM Trans. Algorithms* 5 (2009), Article 16.
244. A. Dumitrescu, M. Sharir and Cs.D. Tóth, Extremal problems on triangle areas in two and three dimensions, *J. Combinat. Theory, Ser. A* 116 (2009), 1177–1198.
245. H. Kaplan, N. Rubin and M. Sharir, Linear data structures for fast ray shooting amidst convex polyhedra. *Algorithmica* 55 (2009), 283–310.
246. E. Ezra and M. Sharir, Almost tight bound for the union of fat tetrahedra in three dimensions, *J. ACM* 57 (2009), Article 2 (23 pages).
247. M. Sharir, On distinct distances and incidences: Elekes’s transformation and the new algebraic developments, *Annales Univ. Sci. Budapest.* 52 (2009), 75–102.
248. B. Aronov and M. Sharir, Approximate halfspace range counting. *SIAM J. Comput.* 39 (2010), 2704–2725.
249. P.K. Agarwal, S. Bereg, O. Daescu, H. Kaplan, S. Ntafos, M. Sharir and B. Zhu, Guarding a terrain by two watchtowers, *Algorithmica* 58 (2010), 352–390.
250. B. Aronov, E. Ezra and M. Sharir, Small-size ε -nets for axis-parallel rectangles and boxes, *SIAM J. Comput.* 39 (2010), 3248–3282.
251. H. Kaplan, N. Rubin and M. Sharir, Line transversals to convex polyhedra in \mathbf{R}^3 , *SIAM J. Comput.* 39 (2010), 3283–3310.
252. P. Agarwal, S. Har-Peled, M. Sharir and Y. Wang, Hausdorff distance under translation for points, disks and balls, *ACM Trans. Algorithms*, 6(4) (2010), Article 71.
253. O. Setter, M. Sharir, and D. Halperin, Constructing two-dimensional Voronoi diagrams via divide-and-conquer of envelopes in space, *Transactions on Computational Science* 9 (2010), 1–27.

254. R. Apfelbaum and M. Sharir, An improved bound on the number of unit area triangles, *Discrete Comput. Geom.* 44 (2010), 753–761.
255. H. Kaplan, M. Sharir and E. Shustin, On lines and joints, *Discrete Comput. Geom.* 44 (2010), 838–843. Also in arXiv:0906.0558, posted June 2, 2009.
256. M. Sharir, An improved bound for k -sets in four dimensions, *Combinat. Probab. Comput.* 20 (2011), 119–129;
257. Gy. Elekes, H. Kaplan and M. Sharir, On lines, joints, and incidences in three dimensions, *J. Combinat. Theory, Ser. A* 118 (2011), 962–977. Also in arXiv:0905.1583, posted on May 11, 2009.
258. H. Kaplan, E. Ramos and M. Sharir, Range minima queries with respect to a random permutation, and approximate range counting, *Discrete Comput. Geom.* 45 (2011), 3–33.
259. H. Kaplan, N. Rubin and M. Sharir, A kinetic triangulation scheme for moving points in the plane, *Comput. Geom. Theory Appl.* 44 (2011), 191–205. Also in arXiv:1005.0912.
260. H. Kaplan, E. Ramos and M. Sharir, The overlay of minimization diagrams in a randomized incremental construction, *Discrete Comput. Geom.* 45 (2011), 371–382.
261. S. Har-Peled and M. Sharir, Relative (p, ϵ) -approximations in geometry, *Discrete Comput. Geom.* 45 (2011), 462–496. Also in arXiv:0909.0717.
262. M. Sharir and A. Sheffer, Counting triangulations of planar point sets, *Electronic J. Combinat.* 18 (2011), P70. Also in arXiv:0911.3352.
263. M. Sharir, A. Sheffer and E. Welzl, On degrees in random triangulations of point sets, *J. Combinat. Theory, Ser. A* 118 (2011), 1979–1999.
264. R. Apfelbaum and M. Sharir, Non-degenerate spheres in three dimensions, *Combinat. Probab. Comput.* 20 (2011), 503–512.
265. Gy. Elekes and M. Sharir, Incidences in three dimensions and distinct distances in the plane, *Combinat. Probab. Comput.* 20 (2011), 571–608. Also in arXiv:1005.0982.
266. M. Sharir and H. Shaul, Semi-algebraic range reporting and emptiness searching with applications, *SIAM J. Comput.* 40 (2011), 1045–1074. Also in arXiv:0908.4061.
267. H. Kaplan, M. Katz, G. Morgenstern and M. Sharir, Optimal cover of points by disks in a simple polygon, *SIAM J. Comput.* 40 (2011), 1647–1661.
268. P. K. Agarwal, E. Ezra and M. Sharir, Near-linear approximation algorithms for geometric hitting sets, *Algorithmica* 63 (2012), 1–25.
269. N. Rubin, H. Kaplan and M. Sharir, Improved bounds for geometric permutations, *SIAM J. Comput.* 41 (2012), 367–390. Also in arXiv:1007.3244.
270. H. Kaplan, J. Matoušek and M. Sharir, Simple proofs of classical theorems in discrete geometry via the Guth-Katz polynomial partitioning technique, *Discrete Comput. Geom.* 48 (2012), 499–517. Also in arXiv:1102.5391.
271. H. Kaplan, J. Matoušek, Z. Safernová and M. Sharir, Unit distances in three dimensions, *Combinat. Probab. Comput.* 21 (2012), 597–610. Also in arXiv:1107.1077.
272. P. K. Agarwal, R. Ben-Avraham and M. Sharir, The 2-center problem in three dimensions, *Comput. Geom. Theory Appl.* 46 (2013), 734–746. Also in arXiv:1012.2694
273. A. Sheffer, M. Sharir, and E. Welzl, Counting plane graphs: Perfect matchings, spanning cycles, and Kasteleyn’s technique, *J. Combinat. Theory, Ser. A* 120 (2013), 777–794. Also in arXiv:1109.5596.
274. B. Aronov, M. Dulieu, R. Pinchasi, and M. Sharir, On the union complexity of diametral disks, *Electronic J. Combinat.* 20(2) (2013), P53.

275. M. Sharir, A. Sheffer, and J. Solymosi, Distinct distances on two lines, *J. Combinat. Theory, Ser. A* 120 (2013), 1732–1736. Also in arXiv:1302.3081.
276. A. Sheffer and M. Sharir, Counting plane graphs: Cross-graph charging schemes, *Combinat. Probab. Comput.* 22 (2013), 935–954. Also in arXiv:1209.0194.
277. P. K. Agarwal, J. Matoušek, and M. Sharir, On range searching with semialgebraic sets II, *SIAM J. Comput.* 42 (2013), 2039–2062. Also in arXiv:1208.3384.
278. H. Kaplan and M. Sharir, Finding the maximal empty disk containing a query point, *Int. J. Comput. Geom. Appl.*, 23 (2013), 335–355.
279. P. K. Agarwal, R. Ben Avraham, H. Kaplan and M. Sharir, Computing the discrete Fréchet distance in subquadratic time, *SIAM J. Comput.* 43 (2014), 429–449. Also in arXiv:1204.5333.
280. B. Aronov, M. de Berg, E. Ezra, and M. Sharir, Improved bound for the union of locally fat objects in the plane, *SIAM J. Comput.* 43 (2014), 543–572.
281. D. Aiger, H. Kaplan and M. Sharir, Reporting neighbors in high-dimensional Euclidean spaces, *SIAM J. Comput.* 43 (2014), 1363–1395.
282. P. K. Agarwal, S. Har-Peled, H. Kaplan and M. Sharir, Union of random Minkowski sums and network vulnerability analysis, *Discrete Comput. Geom.* 52 (2014), 551–582. Also in arXiv:1310.5647.
283. J. Cilleruelo, M. Sharir and A. Sheffer, A note on distinct distances in rectangular lattices, *Discrete Math.* 336 (2014), 37–40. Also in arXiv:1306.0242.
284. T. Kaminker and M. Sharir, Finding the largest disk containing a query point in logarithmic time with linear storage, *J. Comput. Geom.* 6(2) (2015), 3–18. Also in arXiv:1310.3388.
285. M. Sharir, A. Sheffer, and J. Zahl, Improved bounds for incidences between points and circles, *Combinat. Probab. Comput.* 24 (2015), 490–520. Also in arXiv:1208.0053.
286. O. Raz, O. Roche-Newton and M. Sharir, Sets with few distinct distances do not have heavy lines, *Discrete Math.* 338 (2015), 1484–1492. Also in arXiv:1410.1654.
287. R. Ben Avraham, O. Filtser, H. Kaplan, M. Katz, and M. Sharir, The discrete and semi-continuous Fréchet distance with shortcuts via approximate distance counting and selection, *ACM Trans. Algorithms* 11 (2015), Art. 29.
288. P. K. Agarwal, J. Gao, L. Guibas, H. Kaplan, N. Rubin and M. Sharir, Stable Delaunay graphs, *Discrete Comput. Geom.* 54 (2015), 905–929. Old version in arXiv:1104.0622. New version in arXiv:1504.06851.
289. P. K. Agarwal, H. Kaplan, N. Rubin and M. Sharir, Kinetic Voronoi diagrams and Delaunay triangulations under polygonal distance functions, *Discrete Comput. Geom.* 54 (2015), 871–904. Also in arXiv:1404.4851.
290. O. E. Raz, M. Sharir, and J. Solymosi, On triple intersections of three families of unit circles, *Discrete Comput. Geom.* 54 (2015), 930–953. Also in arXiv:1407.6625.
291. S. Kalia, M. Sharir, N. Solomon, and B. Yang, Generalizations of the Szemerédi–Trotter theorem, *Discrete Comput. Geom.* 55 (2016), 571–593. Also in arXiv:1408.5915 (revised version).
292. M. Sharir and J. Solymosi, Distinct distances from three points, *Combinat. Probab. Comput.* 25 (2016), 623–632. Also in arXiv:1308.0814.
293. O. E. Raz, M. Sharir, and J. Solymosi, Polynomials vanishing on grids: The Elekes–Rónyai problem revisited, *Amer. J. Math.* 138 (2016), 1029–1065. Also in arXiv:1401.7419.
294. O. Raz, M. Sharir, and F. de Zeeuw, Polynomials vanishing on Cartesian products: The Elekes–Szabó theorem revisited, *Duke Math. J.* 165(18) (2016), 3517–3566. Also in arXiv:1504.05012.

295. M. Sharir, A. Sheffer and N. Solomon, Incidences with curves in \mathbf{R}^d , *Electronic J. Combinat.* 23(4) (2016), P4.16 Also in arXiv:1512.08267.
296. M. Sharir and J. Zahl, Cutting algebraic curves into pseudo-segments and applications, *J. Combinat. Theory Ser. A* 150 (2017), 1–35. Also in arXiv:1604.07877.
297. M. Sharir and N. Solomon, Incidences between points and lines in \mathbf{R}^d , *Discrete Comput. Geom.* 57 (2017), 702–756. Also in arXiv:1411.0777.
298. O. Raz, M. Sharir, and I. D. Shkredov, On the number of unit-area triangles spanned by convex grids in the plane, *Comput. Geom. Theory Appl.* 62 (2017), 25–33. Also in arXiv:1504.06989.
299. H. Kaplan, S. Mozes, Y. Nussbaum and M. Sharir, Submatrix maximum queries in Monge matrices and Monge partial matrices, and their applications, *ACM Trans. Algorithms* 13(2) (2017), Article 26. (42 pages)
300. O. Raz and M. Sharir, Unit-area triangles: Theme and variation, *Combinatorica* 37 (2017), 1221–1240. Also in arXiv:1501.00379.
301. A. Bruner and M. Sharir, Distinct distances between a collinear set and an arbitrary set of points, *Discrete Math.* 341 (2018), 261–265. Also in arXiv:1612.04940.
302. M. Sharir, S. Smorodinsky, C. Valculescu and F. de Zeeuw, Distinct distances between points and lines, *Comput. Geom. Theory Appl.* 69 (2018), 2–15. Also in arXiv:1512.09006.
303. M. Sharir and N. Solomon, Incidences between points and lines on two- and three-dimensional varieties, *Discrete Comput. Geom.* 59 (2018), 88–130. Also in arXiv:1609.09026.
304. B. Aronov and M. Sharir, Almost tight bounds for eliminating depth cycles in three dimensions, *Discrete Comput. Geom.* 59 (2018), 725–741. Also in arXiv:1512.00358.
305. R. Ben Avraham, M. Henze, R. Jaume, B. Keszegh, O. Raz, M. Sharir, and I. Tubis, The minimum Hausdorff and partial matching RMS-distance under translation: Combinatorics and algorithms, *Algorithmica* 80 (2018), 2400–2421. Also in arXiv:1411.7273.
306. D. Aiger and M. Sharir, Homotheties and incidences, *Discrete Math.* 341 (2018), 2011–2017. Also in arXiv:1709.02933.
307. O. Gold and M. Sharir, Dynamic time warping and geometric edit distance: Breaking the quadratic barrier, *ACM Trans. Algorithms* 14 (2018), Art. 50. Also in arXiv:1607.05994.
308. O. Raz, M. Sharir, and F. de Zeeuw, The Elekes–Szabó theorem in four dimensions, *Israel J. Math.* 227 (2018), 663–690. Also in arXiv:1607.03600.
309. E. Ezra and M. Sharir, A nearly quadratic bound for point location in hyperplane arrangements, in the linear decision tree model, *Discrete Comput. Geom.* (SoCG’17 special issue), 61 (2019), 735–755.
310. H. Kaplan, S. Roy, and M. Sharir, Finding axis-parallel rectangles of fixed perimeter or area containing the largest number of points, *Comput. Geom. Theory Appl.* 81 (2019), 1–11.
311. E. Ezra, S. Har-Peled, H. Kaplan and M. Sharir, Decomposing arrangements of hyperplanes: VC-dimension, combinatorial dimension, and point location, *Discrete Comput. Geom.* 64 (2020), 109–173. Also in arXiv:1712.02913.
312. B. Aronov, E. Miller, and M. Sharir, Eliminating depth cycles among triangles in three dimensions, *Discrete Comput. Geom.* 64 (2020), 627–653. (Special Issue in memory of Ricky Pollack.) Also in arXiv:1607.06136.
313. H. Kaplan, W. Mulzer, L. Roditty, P. Seiferth, and M. Sharir, Dynamic planar Voronoi diagrams for general distance functions and their algorithmic applications, *Discrete Comput. Geom.* 64 (2020), 838–904. (Special Issue in memory of Ricky Pollack.) Also in arXiv:1604.03654v2.

314. D. Aiger, H. Kaplan, and M. Sharir, Output sensitive algorithms for approximate incidences and their applications, *Comput. Geom. Theory Appls.* 91 (2020), Art. 101666. Also in arXiv:2005.08193.
315. M. Sharir and C. Ziv, On levels in arrangements of pseudo-planes in three dimensions. *Discrete Math.* 344 (2021), Art. 112354. Also in arXiv:1903.07196.
316. S. Har-Peled, H. Kaplan, W. Mulzer, L. Roditty, P. Seiferth, M. Sharir, and M. Willert, Stabbing pairwise intersecting disks by five points, *Discrete Math.* 344(7) (2021), Art. 112403. Also in arXiv:1801.03158.
317. P. K. Agarwal, H. Kaplan and M. Sharir, Union of hypercubes and 3d Minkowski sums with random sizes, *Discrete Comput. Geom.* 65 (2021), 1136–1165.
318. P. Gawrychowski, H. Kaplan, S. Mozes, M. Sharir and O. Weimann, Voronoi diagrams on planar graphs, and computing the diameter in deterministic $\tilde{O}(n^{5/3})$ time, *SIAM J. Comput.* 50 (2021), 509–554. Also in arXiv:1704.02793.
319. D. Halperin, S. Har-Peled, K. Mehlhorn, E. Oh and M. Sharir, The maximum-level vertex in an arrangement of lines, *Discrete Comput. Geom.* 67 (2022), 439–461. Also in arXiv:2003.00518.
320. M. Sharir, N. Solomon and O. Zlydenko, Incidences with curves with almost two degrees of freedom, *J. Combinat. Theory Ser. A* 188 (2022), Art. 105582. Also in arXiv:2003.02190.
321. E. Ezra, O. Raz, M. Sharir and J. Zahl, Counting and cutting rich lenses in arrangements of circles, *SIAM J. Discrete Math.* 36 (2022), 958–974. Also in arXiv:2012.04204.
322. M. Sharir and J. Zahl, Erratum: “Breaking the 3/2-barrier for unit distances in three dimensions.” *Internat. Math. Res. Notices*, in press.
323. E. Ezra and M. Sharir, On ray shooting for triangles in 3-space and related problems, *SIAM J. Comput.* 51 (2022), 1065–1095. Also in arXiv:2102.07310.
324. B. Aronov, E. Ezra and M. Sharir, Testing polynomials for vanishing on Cartesian products of planar point sets: Collinearity testing and related problems, *Discrete Comput. Geom.* 68 (2022), 997–1048. Also in arXiv:2003.09533.
325. M. Sharir and N. Solomon, On rich points and incidences with restricted sets of lines in 3-space, *J. Computational Geometry* 13 (2022), 51–72. Also in arXiv:2012.11913.
326. B. Aronov, M. de Berg, J. Cardinal, E. Ezra, J. Iacono and M. Sharir, Subquadratic algorithms for some 3SUM-hard geometric problems in the algebraic decision-tree model, *Comput. Geom. Theory Appls.* 109 (2023), Art. 101945. Also in arXiv:2109.07587.
327. B. Aronov, E. Ezra, M. Sharir and G. Zigdon, Time and space efficient collinearity indexing, *Comput. Geom. Theory Appls.* 110 (2023), Art. 101963.
328. D. Halperin, M. van Kreveld, G. Miglioli-Levy and M. Sharir, Space aware reconfiguration, *Discrete Comput. Geom.* 69 (2023), 1157–1194. Also in arXiv:2006.04402.
329. M. J. Katz and M. Sharir, Bottleneck matching in the plane, *Comput. Geom. Theory Appls.* 112 (2023), Art. 101986. Also in arXiv:2205.05887.
330. D. Halperin, M. Sharir and I. Yehuda, Throwing a sofa through the window, *Discrete Comput. Geom.* 70 (2023), 1169–1220. Also in arXiv:2102.04262.
331. P. K. Agarwal, M. Katz and M. Sharir, On reverse shortest paths in geometric proximity graphs, *Comput. Geom. Theory Appls.* 117 (2024), Art. 102053.
332. P.K. Agarwal, M. Sharir and A. Steiger, Decomposing the complement of the union of cubes and boxes in three dimensions, *Discrete Comput. Geom.* 72 (2024), 407–450.
333. E. Ezra and M. Sharir, Intersection searching amid tetrahedra in four dimensions, *Discrete Comput. Geom.* 73 (2025), 327–369.

- 334. J. Cardinal and M. Sharir, Improved algebraic degeneracy testing, *Discrete Comput. Geom.* 74 (2025), 177–195. Also in arXiv:2212.03030.
- 335. P. K. Agarwal, B. Aronov, E. Ezra, M. Katz and M. Sharir, Intersection queries for flat semi-algebraic objects in three dimensions and related problems, *ACM Trans. Algorithms* 21 (2025), 25:1–25:59.
- 336. Z. Patáková and M. Sharir, Covering points by hyperplanes and related problems, *SIAM J. Discrete Math.* 39 (2025), 2242–2249.
- 337. P. K. Agarwal, E. Ezra and M. Sharir, Semi-algebraic off-line range searching and biclique partitions in the plane, *Discrete Comput. Geom.* 75 (2026), 320–342. Also in arXiv:2403.12276.

CHAPTERS IN BOOKS

- 1. M. Sharir and A. Pnueli, Two approaches to interprocedural data flow analysis, in: *Program Flow Analysis – Theory and Applications*, Muchnick and Jones (Eds.) Prentice–Hall 1981, 189–233.
- 2. S. Ocken, J.T. Schwartz and M. Sharir, Precise implementation of CAD primitives using rational parametrization of standard surfaces, in *Planning, Geometry, and Complexity of Robot Motion*, (J. Hopcroft, J. Schwartz and M. Sharir, Eds.), 1987, 245–266.
- 3. D. Leven and M. Sharir, Intersection and proximity problems and Voronoi diagrams, in *Advances in Robotics*, Vol. I, (J. Schwartz and C. Yap, Eds.), 1987, 187–228.
- 4. K. Kedem and M. Sharir, An automatic motion planning system for a convex polygonal mobile robot in 2–dimensional polygonal space, in *Autonomous Robot Vehicles* (I.J. Cox and G.T. Wilfong, eds.), Springer–Verlag, New York, 1990, 349–362.
- 5. J.T. Schwartz and M. Sharir, Algorithmic motion planning in robotics, an invited chapter in *Handbook of Theoretical Computer Science, Vol. A: Algorithms and Complexity*, (J. Van Leeuwen, ed.), Elsevier, Amsterdam 1990, 391–430.
- 6. M. Sharir, Davenport Schinzel sequences and their geometric applications, in *Theoretical Foundations of Computer Graphics and CAD* (R.A. Earnshaw, Ed.), NATO ASI Series, Vol. F40, Springer Verlag, Berlin 1988, 253–278.
- 7. L. Guibas and M. Sharir, Combinatorics and algorithms of arrangements, in *New Trends in Discrete and Computational Geometry*, (J. Pach, Ed.), Springer-Verlag, 1993, 9–36.
- 8. M. Sharir, Computational geometry, in *Encyclopedia of Computer Science and Technology*, Vol. 30, A. Kent and J.G. Williams (Eds.), Marcel Dekker, New York, 1994, 79–115.
- 9. L. Guibas, J. Pach and M. Sharir, Sphere-of-influence graphs in higher dimensions, in: *Intuitive Geometry* (K. Böröczky, G. Fejes Tóth, eds.), Coll. Math. Soc. J. Bolyai 63 (1991), 132–137.
- 10. D. Halperin and M. Sharir, Arrangements and their applications in robotics: Recent developments, in *The Algorithmic Foundations of Robotics*, K. Goldberg, D. Halperin, J.C. Latombe and R. Wilson, Eds., A.K. Peters, Boston, MA, 1995, 495–511.
- 11. M. Sharir, Robot motion planning, in *The Houses that Jack Built* (E. Schonberg, Ed.), Courant Institute, New York University, 1995, 287–300. Also in *Comm. Pure Appl. Math.* 48 (1995), 1173–1186.
- 12. P. Agarwal and M. Sharir, Algorithmic techniques for geometric optimization, in *Lecture Notes in Computer Science, Vol. 1000* (J. van Leeuwen, Ed.), Springer-Verlag, Berlin, 1995, 234–253.
- 13. P.K. Agarwal, N. Amenta, B. Aronov and M. Sharir, Largest placements and motion planning of a convex polygon, in *Algorithms for Robotic Motion and Manipulation* (J.P. Laumond and M. Overmars, Eds.), A.K. Peters, Wellesley, MA, 1997, 143–154.

14. M. Sharir, Motion planning, in *Handbook of Discrete and Computational Geometry*, (J. E. Goodman and J. O'Rourke, Eds.), CRC Press, Boca Raton, Florida, 1997, 733–754. Second Edition, 2004, 1037–1064.
15. M. Sharir, Arrangements of surfaces in higher dimensions, in *Advances in Discrete and Computational Geometry* (Proc. 1996 AMS Mt. Holyoke Summer Research Conference, B. Chazelle, J.E. Goodman and R. Pollack, Eds.) Contemporary Mathematics No. 223, American Mathematical Society, 1999, 335–353.
16. P. Agarwal and M. Sharir, Davenport-Schinzel sequences and their geometric applications, in *Handbook of Computational Geometry*, J.R. Sack and J. Urrutia (Eds.), North-Holland, 2000, pp. 1–47.
17. P. Agarwal and M. Sharir, Arrangements of surfaces in higher dimensions, in *Handbook of Computational Geometry*, J.R. Sack and J. Urrutia (Eds.), North-Holland, 2000, pp. 49–119.
18. P. Agarwal, B. Aronov and M. Sharir, On the complexity of many faces in arrangements of pseudo-segments and of circles, *Discrete and Computational Geometry — The Goodman-Pollack Festschrift*, B. Aronov, S. Basu, J. Pach and M. Sharir (Eds.), Springer-Verlag, Heidelberg, 2003, pp. 1–23.
19. M. Sharir and E. Welzl, Balanced lines, halving triangles, and the generalized lower bound theorem, *Discrete and Computational Geometry — The Goodman-Pollack Festschrift*, B. Aronov, S. Basu, J. Pach and M. Sharir (Eds.), Springer-Verlag, Heidelberg, 2003, pp. 789–798.
20. J. Pach and M. Sharir, Geometric incidences, in *Towards a Theory of Geometric Graphs* (J. Pach, ed.), *Contemporary Mathematics*, Vol. 342, Amer. Math. Soc., Providence, RI, 2004, pp. 185–223.
21. J. Pach and M. Sharir, Incidences, in *Graph Theory, Combinatorics, and Algorithms* (Proc. 2nd Haifa Workshop on Interdisciplinary Applications of Graph Theory, Combinatorics and Algorithms, Haifa University, June 18, 2002), M. Golumbic and I. Ben Arroyo Hartman, Eds., Springer Verlag, New York, 2005, pp. 267–292.
22. P.K. Agarwal, J. Pach and M. Sharir, State of the union (of geometric objects), in *Proc. Joint Summer Research Conf. on Discrete and Computational Geometry: 20 Years Later*, Contemp. Math. 453, AMS, 2008, pp. 9–48.
23. M. Sharir, Jack Schwartz and robotics: The roaring eighties, in *From Linear Operators to Computational Biology: Essays in Memory of Jacob T. Schwartz* (M. Davis and E. Schonberg, Eds.), Springer Verlag, New York, 2012, pp. 87–104.
24. M. Hoffmann, A. Schulz, M. Sharir, A. Sheffer, Cs. D. Tóth and E. Welzl, Counting plane graphs: Flippability in triangulations and its applications, in *Thirty Essays on Geometric Graph Theory*, (J. Pach, ed.), Springer-Verlag, Heidelberg, 2013, pp. 303–326. Also in arXiv:1012.0591.
25. M. Sharir, From joints to distinct distances and beyond: The dawn of an algebraic era in combinatorial geometry, in *Oberwolfach abstracts* 44/11, 2011, pp. 2465–2468.
26. M. Sharir and N. Solomon, Incidences between points and lines in three dimensions, in *New Trends in Intuitive Geometry* (G. Ambrus, I. Bárány, K. Böröczky, G. Fejes-Tóth, J. Pach, Eds.), Bolyai Soc. Math. Studies (BSMS, Vol. 27), Springer, 2018, pp. 359–383. Also in arXiv:1501.02544.
27. D. Halperin and M. Sharir, Arrangements, Chapter 28 in *Handbook of Discrete and Computational Geometry*, (J. E. Goodman, J. O'Rourke, and C. D. Tóth, Eds.), CRC Press, Boca Raton, Florida, Third Edition, 2018.
28. D. Halperin, O. Salzman and M. Sharir, Algorithmic motion planning, Chapter 50 in *Handbook of Discrete and Computational Geometry*, (J. E. Goodman, J. O'Rourke, and C. D. Tóth, Eds.), CRC Press, Boca Raton, Florida, Third Edition, 2018.

29. S. Har-Peled, H. Kaplan and M. Sharir, Approximating the k -level in three-dimensional plane arrangements, in *Journey through Discrete Mathematics: A Tribute to Jiří Matoušek* (M. Loeb, J. Nešetřil, and R. Thomas (editors)), Springer Verlag, Berlin-Heidelberg, 2017, pp. 467–504. Also in arXiv:1601.04755.
30. N. Alon, A. Holmsen, J. Pach and M. Sharir, Eli Goodman (1933–2021) and Ricky Pollack (1935–2018) (Goodman-Pollack memorial article), *Notices AMS* 71(8) (2024), 1044–1053.

ACCEPTED FOR PUBLICATION

1. P. K. Agarwal, H. Kaplan, M. J. Katz and M. Sharir, Segment proximity graphs and nearest neighbor queries amid disjoint segments, *Algorithmica*
2. H. Kaplan, M. J. Katz, R. Saban and M. Sharir, The unweighted and weighted reverse shortest path problem for disk graphs, *ACM Trans. Algorithms*

BOOKS

1. J.E. Hopcroft, J.T. Schwartz and M. Sharir (Editors), *Planning, Geometry, and Complexity of Robot Motion*, Ablex Pub. Co., Norwood, NJ, 1987.
2. M. Sharir and P.K. Agarwal, *Davenport-Schinzel Sequences and Their Geometric Applications*, Cambridge University Press, Cambridge-New York-Melbourne, 1995. (Reviewed in *SIAM Reviews*, Dec. 1996, and in *Computing Reviews* 38(6) (1997), 300–301 [9706-0435].)
3. B. Aronov, S. Basu, J. Pach and M. Sharir (Editors), *Discrete and Computational Geometry—The Goodman–Pollack Festschrift*, Algorithms and Combinatorics Series, Vol. 25, Springer Verlag, Heidelberg, 2003.
4. J. Pach and M. Sharir, *Combinatorial Geometry and its Algorithmic Applications: The Alcalá Lectures*, Amer. Math. Soc. Press., 2009. (Lecture notes, Alcalá, Spain, August–September, 2006.)

CONFERENCE PROCEEDINGS

1. E. Schonberg, J.T. Schwartz and M. Sharir, Automatic data structure selection in SETL, *Proc. 6th ACM Sympos. on Principles of Programming Languages* (1979) pp. 197–210.
2. R. Mintz, M. Sharir and G. Fisher, The design of a global optimizer, *Proc. SIGPLAN Sympos. on Compiler Construction* (1979) pp. 226–234.
3. M. Sharir, Set-theoretic constructs as a tool in program construction, *Proc. International Conference on Program Construction*, Bonas, France, 1980.
4. M. Sharir, Data flow analysis of applicative programs, *Proc. 8th Int. Colloquium on Automata, Languages and Programming* (1981) pp. 98–113.
5. S. Hart, M. Sharir and A. Pnueli, Termination of concurrent probabilistic programs, *Proc. 9th ACM Sympos. on Principles of Programming Languages* (1982) pp. 1–6.
6. C. Ó'Dúnlaing, M. Sharir and C. Yap, Retraction — A new approach to motion planning, *Proc. 15th ACM Sympos. on Theory of Computing* (1983) pp. 207–220.
7. S. Hart and M. Sharir, Concurrent probabilistic programs, or: How to schedule if you must, *Proc. 10th Int. Colloquium on Automata, Languages and Programming* (1983) pp. 304–318.
8. S. Hart and M. Sharir, Probabilistic propositional temporal logics, *Proc. 16th ACM Sympos. on Theory of Computing* (1984) pp. 1–13.

9. M. Sharir and A. Schorr, On shortest paths in polyhedral spaces, *Proc. 16th ACM Sympos. on Theory of Computing* (1984) pp. 144–153.
10. R. Cole, M. Sharir and C. Yap, On k -hulls and related problems, *Proc. 16th ACM Sympos. on Theory of Computing* (1984) pp. 154–166.
11. S. Hart and M. Sharir, Nonlinearity of Davenport Schinzel sequences and of a generalized path compression scheme, *Proc. 25th IEEE Sympos. on Foundations of Computer Science* (1984) pp. 313–319.
12. K. Kedem and M. Sharir, An efficient algorithm for planning translational collision-free motion of a convex polygonal object in 2-dimensional space amidst polygonal obstacles, *Proc. 1st ACM Sympos. on Computational Geometry* (1985) pp. 75–80.
13. D. Leven and M. Sharir, An efficient and simple motion planning algorithm for a ladder moving in 2-dimensional space amidst polygonal barriers, *Proc. 1st ACM Sympos. on Computational Geometry* (1985) pp. 221–227.
14. J. Reif and M. Sharir, Motion planning in the presence of moving obstacles, *Proc. 26th IEEE Sympos. on Foundations of Computer Science* (1985) pp. 144–154.
15. M. Sharir and R. Livne, On minima of functions, intersection patterns of curves and Davenport Schinzel sequences, *Proc. 26th IEEE Sympos. on Foundations of Computer Science* (1985) pp. 312–320.
16. S. Ocken, J.T. Schwartz and M. Sharir, Precise implementation of CAD primitives using rational parametrization of standard surfaces, *Proc. Sympos. on Solid Modeling by Computers*, General Motors Research Labs, Sept. 1983 (Eds. M.S. Pickett and J.W. Boyse; published by Plenum Press, New York, 1984), pp. 259–269.
17. J.T. Schwartz and M. Sharir, Some remarks on robot vision, *Trans. 3rd Army Conference on Applied Mathematics and Computing*, Atlanta, May 1985, pp. 1–36.
18. L. Guibas, J. Hershberger, D. Leven, M. Sharir and R.E. Tarjan, Linear time algorithms for visibility and shortest path problems inside simple polygons, *Proc. 2nd ACM Sympos. on Computational Geometry* (1986) pp. 1–13.
19. S. Sifrony and M. Sharir, A new efficient motion planning algorithm for a rod in two-dimensional polygonal space, *Proc. 2nd ACM Sympos. on Computational Geometry* (1986) pp. 178–186.
20. M. Sharir and A. Baltsan, On shortest paths amidst convex polyhedra, *Proc. 2nd ACM Sympos. on Computational Geometry* (1986) pp. 193–206.
21. S. Hart and M. Sharir, Nonlinearity of Davenport–Schinzel sequences and of generalized path compression schemes, *Int. Congress of Mathematicians*, Berkeley, 1986.
22. A. Wiernik and M. Sharir, Planar realization of nonlinear Davenport–Schinzel sequences by segments, *Proc. 27th IEEE Sympos. Found. Comput. Sci.* (1986), 97–106.
23. M. Sharir, R. Cole, K. Kedem, D. Leven, R. Pollack and S. Sifrony, Geometric applications of Davenport Schinzel sequences, *Proc. 27th IEEE Sympos. on Foundations of Computer Science* (1986) pp. 77–86.
24. M. Sharir, Efficient algorithms for planning purely translational collision-free motion in two and three dimensions, *Proc. IEEE Sympos. on Robotics and Automation* (1987) pp. 1326–1331.
25. W. Lenhart, R. Pollack, J. Sack, M. Sharir, R. Seidel, S. Suri, G. Toussaint, S. Whitesides and C. Yap, Computing the link center of a simple polygon, *Proc. 3rd ACM Sympos. on Computational Geometry* (1987) pp. 1–10.

26. K. Kedem and M. Sharir, An efficient motion planning algorithm for a convex object in 2-D polygonal space, *Proc. 5th Yale Workshop on Applications of Adaptive Systems Theory*, May 1987, pp. 194–199.
27. J.T. Schwartz and M. Sharir, On the bivariate function minimization problem and its applications to motion planning, *Proc. 14th Int. Colloquium on Automata, Languages and Programming*, Lecture Notes in Computer Science 267, pp. 357–363, Springer Verlag, 1987.
28. H. Edelsbrunner, J. Pach, J.T. Schwartz and M. Sharir, On the lower envelope of bivariate functions and its applications, *Proc. 28th IEEE Sympos. on Foundations of Computer Science* (1987) pp. 27–37.
29. J.T. Schwartz and M. Sharir, Finding effective ‘force targets’ for two-dimensional multifinger frictional grips, *Proc. 25th Allerton Conference on Communication, Control and Computing*, September 1987, pp. 843–848.
30. J. Demmel, G. Lafferriere, J.T. Schwartz and M. Sharir, Theoretical and experimental studies using a multifinger planar manipulator, *Proc. IEEE Sympos. on Robotics and Automation*, April 1988, pp. 390–395. (Also appeared in *Naval Research Reviews* 40 (1988) (3), pp. 14–23.)
31. H. Edelsbrunner, L. Guibas and M. Sharir, The complexity of many faces in arrangements of lines and of segments, *Proc 4th ACM Sympos. on Computational Geometry*, 1988, pp. 44–55. **SoCG Test-of-Time award**, 2023.
32. H. Edelsbrunner, L. Guibas, J. Hershberger, R. Seidel, M. Sharir, J. Snoeyink and E. Welzl, Implicitly representing arrangements of lines or segments, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 56–69.
33. P. Agarwal and M. Sharir, Red–blue intersection detection algorithms, with applications to collision detection and motion planning, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 70–80.
34. H. Edelsbrunner, L. Guibas, J. Hershberger, J. Pach, R. Pollack, R. Seidel, M. Sharir and J. Snoeyink, On arrangements of Jordan arcs with three intersections per pair, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 258–265.
35. L. Guibas, M. Sharir and S. Sifrony, On the general motion planning problem with two degrees of freedom, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 289–298.
36. M. Sharir and S. Sifrony, Coordinated motion planning for two independent robots, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 319–328.
37. K. Kedem and M. Sharir, Implementation and experimentation with an efficient motion planning algorithm for a convex polygon in 2-D polygonal space, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 329–340.
38. B. Aronov and M. Sharir, Triangles in space, or: Building (and analyzing) castles in the air, *Proc 4th ACM Sympos. on Computational Geometry* (1988) pp. 381–391.
39. H. Edelsbrunner, L. Guibas, J. Pach, R. Pollack, R. Seidel and M. Sharir, Arrangements of curves in the plane: Topology, combinatorics and algorithms, *Proc 15th Int. Colloq. on Automata, Programming and Languages* (1988) pp. 214–229.
40. L. Guibas, M. Overmars and M. Sharir, Intersecting line segments, ray shooting, and other applications of partition–tree range searching techniques, *Proc. 1st Scandinavian Workshop on Algorithm Theory*, 1988, Lecture Notes in Computer Science 318, Springer–Verlag, Heidelberg, pp. 64–73.
41. H. Edelsbrunner, L. Guibas and M. Sharir, The complexity of many cells in arrangements of planes and related problems, *Proc. Int. Conf. on Mathematical Programming*, Tokyo, Japan, 1988, p. 147.

42. K. Clarkson, H. Edelsbrunner, L. Guibas, M. Sharir and E. Welzl, Combinatorial complexity bounds for arrangements of curves and surfaces, *Proc. 29th IEEE Sympos. on Foundations of Computer Science* (1988) pp. 568–579.
43. B. Chazelle, H. Edelsbrunner, L. Guibas and M. Sharir, Lines in space – combinatorics, algorithms and applications, *Proc. 21st ACM Sympos. on Theory of Computing* (1989) pp. 382–393.
44. B. Chazelle, H. Edelsbrunner, L. Guibas and M. Sharir, A singly exponential stratification scheme for real semi-algebraic varieties and its applications, *Proc. 16th Int. Colloq. on Automata, Languages and Programming* (1989) pp. 179–193.
45. J. Pach and M. Sharir, On vertical visibility in arrangements of segments and the queue size in the Bentley–Ottman line sweeping algorithm, *Proc. 1st Canadian Conference on Computational Geometry* (1989).
46. M. Overmars and M. Sharir, Output sensitive hidden surface elimination, *Proc. 30th IEEE Sympos. on Foundations of Computer Science* (1989) pp. 598–603.
47. B. Chazelle, M. Sharir and E. Welzl, Quasi-optimal upper bounds for simplex range searching and new zone theorems, *Proc. 6th Sympos. on Computational Geometry* (1990) pp. 23–33.
48. S. Cappell, J.E. Goodman, J. Pach, R. Pollack, M. Sharir and R. Wenger, On the combinatorial complexity of the space of hyperplane transversals, *Proc. 6th Sympos. on Computational Geometry* (1990) pp. 83–91.
49. B. Aronov, B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir and R. Wenger, Points and triangles in the plane and halving planes in space, *Proc. 6th Sympos. on Computational Geometry* (1990) pp. 112–115.
50. B. Chazelle, H. Edelsbrunner, L. Guibas, J. Hershberger, R. Seidel and M. Sharir, Slimming down by adding; Selecting heavily covered points, *Proc. 6th Sympos. on Computational Geometry* (1990) pp. 116–127.
51. M. Overmars and M. Sharir, Merging visibility maps, *Proc. 6th Sympos. on Computational Geometry* (1990) pp. 168–176.
52. P.K. Agarwal, B. Aronov, M. Sharir and S. Suri, Selecting distances in the plane, *Proc. 6th Sympos. on Computational Geometry* (1990) pp. 321–331.
53. L. Guibas, D.E. Knuth and M. Sharir, Randomized incremental construction of Delaunay triangulations, *Proc. 17th Int. Colloq. on Automata, Languages and Programming* (1990) pp. 414–431.
54. H. Edelsbrunner and M. Sharir, A hyperplane incidence problem with applications to counting distances, *Proc. SIGAL Sympos. on Algorithms*, Japan, 1990, Springer-Verlag Lecture Notes in Computer Science 450, pp. 419–428.
55. D. Halperin and M. Sharir, Improved combinatorial bounds and efficient techniques for certain motion planning problems with three degrees of freedom, *Proc. 2nd Canadian Conf. on Computational Geometry* (1990), pp. 98–101.
56. N. Naor and M. Sharir, Computing the center of a point set in three dimensions, *Proc. 2nd Canadian Conf. on Computational Geometry* (1990), pp. 10–13.
57. B. Chazelle, H. Edelsbrunner, L.J. Guibas, R. Pollack, R. Seidel, M. Sharir and J. Snoeyink, Counting and cutting cycles of lines and rods in space, *Proc. 31th IEEE Sympos. on Foundations of Computer Science* (1990), pp. 242–251.
58. P.K. Agarwal and M. Sharir, Planar geometric location problems and maintaining the width of a planar set, *Proc. 2nd ACM-SIAM Sympos. on Discrete Algorithms* (1991), pp. 449–458.

59. B. Chazelle, H. Edelsbrunner, L. Guibas, M. Sharir and J. Snoeyink, Computing a face in an arrangement of line segments, *Proc. 2nd ACM-SIAM Sympos. on Discrete Algorithms* (1991), pp. 441–448.
60. B. Aronov, J. Matoušek and M. Sharir, On the sum of squares of cell complexities in hyperplane arrangements, *Proc. 7th Sympos. on Computational Geometry* (1991), pp. 307–313.
61. D. Huttenlocher, K. Kedem and M. Sharir, The upper envelope of Voronoi surfaces and its applications, *Proc. 7th Sympos. on Computational Geometry* (1991), pp. 194–203.
62. M. Katz, M. Overmars and M. Sharir, Efficient output sensitive hidden surface removal for objects with small union size, *Proc. 7th Sympos. on Computational Geometry* (1991), pp. 31–40.
63. P.K. Agarwal and M. Sharir, Counting circular arc intersections, *Proc. 7th Sympos. on Computational Geometry* (1991), pp. 10–20.
64. B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, J. Hershberger, M. Sharir and J. Snoeyink, Ray shooting in polygons using geodesic triangulations, *Proc. 18th Int. Colloq. on Automata, Languages and Programming* (1991), 661–673.
65. B. Aronov and M. Sharir, On the zone of a surface in a hyperplane arrangement, *Proc. 2nd Workshop on Algorithms and Data Structures* (1991), 13–19.
66. P.K. Agarwal and M. Sharir, Applications of a new space partitioning scheme, *Proc. 2nd Workshop on Algorithms and Data Structures* (1991), 379–391.
67. J. Matoušek, N. Miller, J. Pach, M. Sharir, S. Sifrony and E. Welzl, Fat triangles determine linearly many holes, *Proc. 32th IEEE Sympos. on Foundations of Computer Science* (1991), 49–58.
68. P.K. Agarwal, M. Sharir and S. Toledo, New applications of parametric searching in computational geometry, *Proc. 3rd ACM-SIAM Sympos. on Discrete Algorithms* (1992), 72–82.
69. K. Mehlhorn, M. Sharir and E. Welzl, Tail estimates for the space complexity of randomized incremental algorithms, *Proc. 3rd ACM-SIAM Sympos. on Discrete Algorithms* (1992), 89–93.
70. M. Sharir and E. Welzl, A combinatorial bound for linear programming and related problems, *Proc. Sympos. on Theoretical Aspects of Computer Science* (1992), Springer Verlag Lecture Notes in Computer Science 577, pp. 569–579.
71. J. Matoušek, M. Sharir and E. Welzl, A subexponential bound for linear programming, *Proc. 8th ACM Sympos. on Computational Geometry* (1992), 1–8.
72. B. Chazelle, H. Edelsbrunner, L. Guibas and M. Sharir, Diameter, width, closest line pair, and parametric searching, *Proc. 8th ACM Sympos. on Computational Geometry* (1992), 120–129.
73. B. Aronov and M. Sharir, Castles in the air revisited, *Proc. 8th ACM Sympos. on Computational Geometry* (1992), 146–156.
74. Y. Karasik and M. Sharir, Optical computational geometry, *Proc. 8th ACM Sympos. on Computational Geometry* (1992), 232–241.
75. P.K. Agarwal and M. Sharir, Ray shooting amidst convex polytopes in 3 dimensions, *Proc. 4th ACM-SIAM Sympos. on Discrete Algorithms* (1993), 260–270.
76. Y. Karasik and M. Sharir, Optical algorithms in geometry, *Proc. Optical Computing Topical Meeting of the Optical Society of America*, 1993, 164–167.
77. D. Halperin and M. Sharir, New bounds for lower envelopes in three dimensions with applications to visibility of terrains, *Proc. 9th ACM Sympos. on Computational Geometry* (1993), 11–18.

78. M. Katz and M. Sharir, An expander-based approach to geometric optimization, *Proc. 9th ACM Sympos. on Computational Geometry* (1993), 198–207.
79. Y. Karasik and M. Sharir, The power of geometric duality and Minkowski sums in optical computational geometry, *Proc. 9th ACM Sympos. on Computational Geometry* (1993), 379–388.
80. E. Wolfson and M. Sharir, Implementation of a motion planning system in 3 dimensions, video review in *Proc. 9th ACM Sympos. on Computational Geometry* (1993), 399–400.
81. B. Chazelle, H. Edelsbrunner, M. Grigni, L. Guibas, M. Sharir and E. Welzl, Improved bounds for weak ϵ -nets for convex sets, *Proc. 25th ACM Sympos. on Theory of Computing* (1993), 495–504.
82. A. Efrat, M. Sharir and A. Ziv, Computing the smallest k -enclosing circle and related problems, *Proc. 3rd Workshop on Algorithms and Data Structures* (1993), 325–336.
83. P.K. Agarwal and M. Sharir, On the number of views of polyhedral terrains, *Proc. 5th Canadian Conference on Computational Geometry* (1993), 55–61.
84. A. Efrat, M. Lindenbaum and M. Sharir, Finding maximally consistent sets of halfspaces, *Proc. 5th Canadian Conference on Computational Geometry* (1993), 432–436.
85. M. Katz and M. Sharir, Optimal slope selection via expanders, *Proc. 5th Canadian Conference on Computational Geometry* (1993), 139–144.
86. K. Kedem, M. Sharir and S. Toledo, On critical orientations in the Kedem-Sharir motion planning algorithm for a convex polygon in the plane, *Proc. 5th Canadian Conference on Computational Geometry* (1993), 204–209.
87. L. Guibas, D. Halperin, J. Matoušek and M. Sharir, On vertical decomposition of arrangements of hyperplanes in four dimensions, *Proc. 5th Canadian Conference on Computational Geometry* (1993), 127–132.
88. A. Efrat, G. Rote and M. Sharir, On the union of fat wedges and separating a collection of segments by a line, *Proc. 5th Canadian Conference on Computational Geometry* (1993), 115–120.
89. B. Aronov and M. Sharir, The union of convex polyhedra in three dimensions, *Proc. 34th IEEE Sympos. on Foundations of Computer Science* (1993), 518–527.
90. M. Sharir, Almost tight upper bounds for lower envelopes in higher dimensions, *Proc. 34th IEEE Sympos. on Foundations of Computer Science* (1993), 498–507.
91. D. Halperin and M. Sharir, Near-quadratic bounds for the motion planning problem for a polygon in a polygonal environment, *Proc. 34th IEEE Sympos. on Foundations of Computer Science* (1993), 382–391.
92. M. de Berg, L. Guibas, D. Halperin, M. Overmars, O. Schwarzkopf, M. Sharir and M. Teillaud, Reaching a goal with directional uncertainty, *Proc. 4th Annual Int. Sympos. on Algorithms and Computation* (1993), 1–10.
93. A. Efrat and M. Sharir, A near-linear algorithm for the planar segment center problem, *Proc. 5th ACM-SIAM Sympos. on Discrete Algorithms* (1994), 87–97.
94. D. Halperin and M. Sharir, Arrangements and their applications in robotics: Recent developments, *Proc. Workshop on Algorithmic Foundations of Robotics* (1994), San Francisco.
95. B. Aronov and M. Sharir, On translational motion planning in three dimensions, *Proc. 10th ACM Sympos. on Computational Geometry* (1994), 21–30.
96. D. Halperin and M. Sharir, Almost tight upper bounds for the single cell and zone problems in three dimensions, *Proc. 10th ACM Sympos. on Computational Geometry* (1994), 11–20.

97. G. Barequet and M. Sharir, Piecewise-linear interpolation between polygonal slices, *Proc. 10th ACM Sympos. on Computational Geometry* (1994), 93–102.
98. P. Agarwal, B. Aronov and M. Sharir, Computing envelopes in four dimensions with applications, *Proc. 10th ACM Sympos. on Computational Geometry* (1994), 348–358.
99. P. Agarwal, M. Katz and M. Sharir, Computing depth order and related problems. *Proc. 4th Scandinavian Workshop on Algorithm Theory* (1994), 1–12.
100. G. Barequet and M. Sharir, Partial surface and volume matching in three dimensions, *Proc. 12th Int. Conf. on Pattern Recognition* (1994), Vol. 2, 610–614.
101. L.P. Chew, K. Kedem, M. Sharir, B. Tagansky and E. Welzl, Voronoi diagrams of lines in three dimensions under a polyhedral convex distance function, *Proc. 6th ACM-SIAM Sympos. on Discrete Algorithms* (1995), 197–204.
102. P. Agarwal, A. Efrat and M. Sharir, Vertical decomposition of shallow levels in 3-dimensional arrangements and its applications, *Proc. 11th ACM Sympos. on Computational Geometry* (1995), 39–50.
103. P.K. Agarwal, O. Schwarzkopf and M. Sharir, The overlay of lower envelopes in 3-space and its applications, *Proc. 11th ACM Sympos. on Computational Geometry* (1995), 182–189.
104. J.D. Boissonnat, M. Sharir, B. Tagansky and M. Yvinec, Voronoi diagrams in higher dimensions under certain polyhedral convex distance functions, *Proc. 11th ACM Sympos. on Computational Geometry* (1995), 79–88.
105. P.K. Agarwal and M. Sharir, Efficient randomized algorithms for some geometric optimization problems, *Proc. 11th ACM Sympos. on Computational Geometry* (1995), 326–335.
106. P. Agarwal, B. Aronov, J. Pach, R. Pollack and M. Sharir, Quasi-planar graphs have a linear number of edges, *Proc. Sympos. on Graph Drawing, GD' 95* (Franz J. Brandenburg, ed.), Lecture Notes in Computer Science 1027, Springer-Verlag, Berlin, 1996, pp. 1–7.
107. P. Agarwal, M. de Berg, D. Halperin and M. Sharir, Efficient generation of k -directional assembly sequences. *Proc. 7th ACM-SIAM Sympos. on Discrete Algorithms* (1996), 122–131.
108. O. Schwarzkopf and M. Sharir, Vertical decomposition of a single cell in a 3-dimensional arrangement of surfaces and its applications, *Proc. 12th ACM Sympos. on Computational Geometry* (1996), 20–29.
109. M. Sharir and E. Welzl, Rectilinear and polygonal p -piercing and p -center problems, *Proc. 12th ACM Sympos. on Computational Geometry* (1996), 122–132.
110. M. Sharir, A near-linear algorithm for the planar 2-center problem, *Proc. 12th ACM Sympos. on Computational Geometry* (1996), 106–112.
111. S. Har-Peled, M. Sharir and K. Varadarajan, Approximate shortest paths on a convex polytope in three dimensions, *Proc. 12th ACM Sympos. on Computational Geometry* (1996), 329–338.
112. G. Barequet and M. Sharir, Partial surface matching by using directed footprints, *Proc. 12th ACM Sympos. on Computational Geometry* (1996), C-9,10.
113. P.K. Agarwal, N. Amenta, B. Aronov and M. Sharir, Largest placements and motion planning of a convex polygon, *Proc. 2nd Workshop on Algorithmic Foundations of Robotics* (1996), Toulouse, France
114. P. Agarwal, B. Aronov and M. Sharir, Line transversals of balls and smallest enclosing cylinders in three dimensions. *Proc. 8th ACM-SIAM Sympos. on Discrete Algorithms* (1997), 483–492.
115. P. Agarwal, B. Aronov and M. Sharir, On levels in arrangements of lines, segments, planes, and triangles, *Proc. 13th ACM Sympos. on Computational Geometry* (1997), 30–38.

116. A. Efrat and M. Sharir, The complexity of the union of fat objects in the plane, *Proc. 13th ACM Sympos. on Computational Geometry* (1997), 104–112.
117. P. Agarwal, M. Sharir and E. Welzl, The discrete 2-center problem, *Proc. 13th ACM Sympos. on Computational Geometry* (1997), 147–155.
118. A. Efrat, M. Katz, F. Nielsen and M. Sharir, Data structures for fat objects and their applications, *Proc. 5th Workshop on Algorithms and Data Structures* (1997), 297–396.
119. B. Aronov, A. Efrat, D. Halperin and M. Sharir, On the number of regular vertices of the union of Jordan regions, *Proc. 6th Scandinavian Workshop on Algorithm Theory* (1998), 322–334.
120. P. Agarwal and M. Sharir, Motion planning of a ball amid segments in three dimensions, *Proc. 10th ACM-SIAM Sympos. on Discrete Algorithms* (1999), 21–30.
121. M. van Kreveld, J. Mitchell, P. Rousseeuw, M. Sharir, J. Snoeyink and B. Speckmann, Efficient algorithms for maximum regression depth, *Proc. 15th ACM Sympos. on Computational Geometry* (1999), 31–40.
122. P. Agarwal and M. Sharir, Pipes, cigars and kreplach: The union of Minkowski sums in three dimensions, *Proc. 15th ACM Sympos. on Computational Geometry* (1999), 143–153.
123. P. Agarwal, B. Aronov, S. Har-Peled and M. Sharir, Approximation and exact algorithms for minimum-width annuli and shells, *Proc. 15th ACM Sympos. on Computational Geometry* (1999), 380–389.
124. S. Smorodinsky, J. Mitchell and M. Sharir, Sharp bounds on geometric permutation of pairwise disjoint balls, *Proc. 15th ACM Sympos. on Computational Geometry* (1999), 400–406.
125. P. Agarwal, B. Aronov and M. Sharir, Exact and approximation algorithms for minimum-width cylindrical shells, *Proc. 11th ACM-SIAM Sympos. on Discrete Algorithms* (2000), 510–517.
126. M. Sharir, S. Smorodinsky and G. Tardos, An improved bound for k -sets in three dimensions, *Proc. 16th Euro-CG Workshop* (2000), 132–135.
127. M. Sharir, S. Smorodinsky and G. Tardos, An improved bound for k -sets in three dimensions, *Proc. 16th ACM Sympos. on Computational Geometry* (2000), 43–49.
128. D. Halperin, M. Sharir and K. Goldberg, The 2-center problem with obstacles, *Proc. 16th ACM Sympos. on Computational Geometry* (2000), 80–90.
129. P.K. Agarwal, L. Guibas, S. Har-Peled, A. Rabinovitch and M. Sharir, Computing the pre-netration depth of two convex polytopes in three dimensions, *Proc. 7th Scandinavian Workshop on Algorithm Theory* (2000), 328–338.
130. S. Har-Peled and M. Sharir, On-line point location in planar arrangements and its applications, *Proc. 12th ACM-SIAM Sympos. on Discrete Algorithms* (2001), 57–66.
131. B. Aronov and M. Sharir, Cutting circles into pseudo-segments and improved bounds for incidences, *Proc. 17th Euro-CG Workshop* (2001).
132. P. Agarwal and M. Sharir, On the number of congruent simplices in a point set, *Proc. 17th ACM Sympos. on Computational Geometry* (2001), 1–10.
133. J. Pach, I. Safruti and M. Sharir, The complexity of the union of cubes in three dimensions, *Proc. 17th ACM Sympos. on Computational Geometry* (2001), 19–28.
134. A. Dumitrescu, J.S.B. Mitchell and M. Sharir, Binary space partitions for axis-parallel segments, rectangles, and hyperrectangles, *Proc. 17th ACM Sympos. on Computational Geometry* (2001), 141–150.
135. M. Sharir, The Clarkson-Shor technique revisited and extended, *Proc. 17th ACM Sympos. on Computational Geometry* (2001), 252–256.

136. M. Sharir and E. Welzl, Balanced lines, halving triangles, and the generalized lower bound theorem, *Proc. 17th ACM Sympos. on Computational Geometry* (2001), 315–318.
137. P.K. Agarwal, M. de Berg, S. Har-Peled, M. Overmars, M. Sharir and J. Vahrenhold, Reporting intersecting pairs of polytopes in two and three dimensions, *Proc. 7th Workshop on Algorithms and Data Structures* (2001), 122–134.
138. P. Agarwal, B. Aronov and M. Sharir, The complexity of many faces in arrangements of circles, *Proc. 42nd IEEE Sympos. on Foundations of Computer Science* (2001), 74–83.
139. V. Koltun and M. Sharir, On the overlay of envelopes in four dimensions, *Proc. 13th ACM-SIAM Sympos. on Discrete Algorithms* (2002), 810–819.
140. P. Agarwal and M. Sharir, Pseudoline arrangements: Duality, algorithms and applications, *Proc. 13th ACM-SIAM Sympos. on Discrete Algorithms* (2002), 781–790.
141. V. Koltun and M. Sharir, Three-dimensional Euclidean Voronoi diagrams of lines with a fixed number of orientations, *Proc. 18th Euro-CG Workshop* (2002), 1–3.
142. E. Ezra, D. Halperin and M. Sharir, Efficient construction of the union of geometric objects, *Proc. 18th Euro-CG Workshop* (2002), 56–60.
143. M. Sharir and E. Welzl, Point-line incidences in space, *Proc. 18th ACM Sympos. on Computational Geometry* (2002), 107–115.
144. B. Aronov, V. Koltun and M. Sharir, Incidences between points and circles in three dimensions, *Proc. 18th ACM Sympos. on Computational Geometry* (2002), 116–122.
145. E. Nevo, J. Pach, R. Pinchasi, M. Sharir and S. Smorodinsky, Lenses in arrangements of pseudocircles and their applications, *Proc. 18th ACM Sympos. on Computational Geometry* (2002), 123–132.
146. V. Koltun and M. Sharir, Three-dimensional Euclidean Voronoi diagrams of lines with a fixed number of orientations, *Proc. 18th ACM Sympos. on Computational Geometry* (2002), 217–226.
147. V. Koltun and M. Sharir, Polyhedral Voronoi diagrams of polyhedral sites in three dimensions, *Proc. 18th ACM Sympos. on Computational Geometry* (2002), 227–236.
148. M. Sharir and S. Smorodinsky, Neighbors in planar geometric permutations, *Proc. 8th Scandinavian Workshop on Algorithm Theory* (2002), 131–139.
149. E. Ezra, D. Halperin and M. Sharir, Speeding up the incremental construction of the union of geometric objects in practice, *Proc. 10th European Symposium on Algorithms* (2002), 473–484.
150. P. Agarwal, T. Hagerup, R. Ray, M. Sharir, M. Smid and E. Welzl, Translating a planar object to maximize point containment, *Proc. 10th European Symposium on Algorithms* (2002), 42–53.
151. V. Koltun and M. Sharir, The partition technique for the overlay of envelopes, *Proc. 43rd IEEE Sympos. on Foundations of Computer Science* (2002), 637–646.
152. B. Aronov, J. Pach, M. Sharir and G. Tardos, Distinct distances in higher dimensions, *Proc. 35th ACM Sympos. on Theory of Computing* (2003), 541–546.
153. B. Aronov, V. Koltun and M. Sharir, Cutting triangular cycles of lines in space, *Proc. 35th ACM Sympos. on Theory of Computing* (2003), 547–555.
154. J. Pach, R. Pinchasi and M. Sharir, A tight bound for the number of different directions in three dimensions, *Proc. 19th ACM Sympos. on Computational Geometry* (2003), 106–113.
155. V. Koltun and M. Sharir, Curve-sensitive cuttings, *Proc. 19th ACM Sympos. on Computational Geometry* (2003), 136–143.

156. P. Agarwal, S. Har-Peled, M. Sharir and Y. Wang, Hausdorff distance under translation for points, disks and balls, *Proc. 19th ACM Sympos. on Computational Geometry* (2003), 282–291.
157. M. Sharir and S. Smorodinsky, Extremal configurations and levels in pseudoline arrangements, *Proc. 8th Workshop on Algorithms and Data Structures* (2003), in Lecture Notes in Computer Science, Vol. 2748, Springer Verlag, pages 127–139.
158. M. Sharir and H. Shaul, Ray shooting and stone throwing, *Proc. 11th European Symposium on Algorithms* (2003), in Lecture Notes in Computer Science, Vol. 2832, Springer Verlag, pages 470–481.
159. P. Agarwal, M. Overmars and M. Sharir, Computing maximally separated sets in the plane and independent sets in the intersection graph of unit disks. *Proc. 15th ACM-SIAM Sympos. on Discrete Algorithms* (2004), 509–518.
160. E. Ezra and M. Sharir, Output sensitive construction of the union of triangles, *Proc. 15th ACM-SIAM Sympos. on Discrete Algorithms* (2004), 413–422.
161. P. Agarwal, B. Aronov, V. Koltun and M. Sharir, On lines avoiding unit balls in three dimensions, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 36–45.
162. P.K. Agarwal, M. Sharir and E. Welzl, Algorithms for center and Tverberg points, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 61–67.
163. J. Pach, R. Pinchasi and M. Sharir, Solution of Scott’s problem on the number of directions determined by a point set in 3-space, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 76–85.
164. J.S.B. Mitchell and M. Sharir, New results on shortest paths in three dimensions, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 124–133.
165. E. Ezra and M. Sharir, Counting and representing intersections among triangles in three dimensions, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 210–219.
166. B. Aronov, A. Efrat, V. Koltun and M. Sharir, On the union of κ -curved objects in three and four dimensions, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 383–390.
167. R. Pinchasi, R. Radoičić and M. Sharir, On empty convex polygons in a planar point set, *Proc. 20th ACM Sympos. on Computational Geometry* (2004), 391–400.
168. G. Kozma, Z. Lotker, M. Sharir and G. Stupp, Geometrically aware communication in random wireless networks reconsidered, *Proc. 23rd ACM Sympos. on Principles of Distributed Computing* (2004), 310–319.
169. M. Sharir, On the interface between computational and combinatorial geometry, plenary talk, *Proc. 16th ACM-SIAM Sympos. on Discrete Algorithms* (2005), 137–145.
170. M. Sharir and H. Shaul, Ray shooting amid balls, farthest point from a line, and range emptiness searching, *Proc. 16th ACM-SIAM Sympos. on Discrete Algorithms* (2005), 525–534.
171. A. Fiat, M. Levy, J. Matoušek, E. Mossel, J. Pach, M. Sharir, S. Smorodinsky, U. Wagner and E. Welzl, Online conflict-free coloring for intervals, *Proc. 16th ACM-SIAM Sympos. on Discrete Algorithms* (2005), 545–554.
172. G. Alexandron, H. Kaplan and M. Sharir, Kinetic and dynamic data structures for convex hulls and upper envelopes, *Proc. 9th Workshop on Algorithms and Data Structures* (2005), 269–281. (Also in 5th Haifa Workshop on Interdisciplinary Applications of Graph-Theory, Combinatorics, and Algorithms, May 2005.)
173. H. Kaplan and M. Sharir, Randomized incremental construction of three-dimensional convex hulls and planar Voronoi diagrams, and approximate range counting, *Proc. 17th ACM-SIAM Sympos. on Discrete Algorithms* (2006), 484–493.

174. M. Sharir and E. Welzl, On the number of crossing-free matchings, cycles, and partitions. *Proc. 17th ACM-SIAM Sympos. on Discrete Algorithms* (2006), 860–869.
175. Y. Schreiber and M. Sharir, An efficient algorithm for shortest paths on a convex polytope in three dimensions, *Proc. 22nd ACM Sympos. on Computational Geometry* (2006), 30–39.
176. H. Kaplan, M. Sharir and E. Verbin, Colored intersection searching via sparse rectangular matrix multiplication, *Proc. 22nd ACM Sympos. on Computational Geometry* (2006), 52–60.
177. E. Ezra, M. Sharir and A. Efrat, On the ICP algorithm, *Proc. 22nd ACM Sympos. on Computational Geometry* (2006), 95–104.
178. M. Sharir and E. Welzl, Random triangulations of planar point sets, *Proc. 22nd ACM Sympos. on Computational Geometry* (2006), 273–281.
179. V. Koltun and M. Sharir, A note on overlays of minimization diagrams, *Proc. 22nd ACM Sympos. on Computational Geometry* (2006), 395–401.
180. D. Feldman, A. Fiat and M. Sharir, Coresets for weighted facilities and their applications, *Proc. 47th IEEE Sympos. on Foundations of Computer Science* (2006), 315–324.
181. P.K. Agarwal, S. Cabello, J.A. Sellarès and M. Sharir, Computing a center-transversal line, *FSTTCS* (2006), Lecture Notes Comput. Sci., Vol 4337, Springer Verlag, 2006, 93–104.
182. H. Kaplan, N. Rubin, M. Sharir and E. Verbin, Counting colors in boxes, *Proc. 18th ACM-SIAM Sympos. on Discrete Algorithms* (2007), 785–794.
183. D. Feldman, A. Fiat, M. Sharir and D. Segev, Bi-criteria linear-time approximations for generalized k -mean/median/center. *Proc. 23rd ACM Sympos. on Computational Geometry* (2007), 19–26.
184. E. Ezra, J. Pach and M. Sharir, On regular vertices on the union of planar objects, *Proc. 23rd ACM Sympos. on Computational Geometry* (2007), 220–226.
185. P.K. Agarwal, R. Apfelbaum, G. Purdy and M. Sharir, Similar simplices in a d -dimensional point set, *Proc. 23rd ACM Sympos. on Computational Geometry* (2007), 232–238.
186. P.K. Agarwal, H. Kaplan and M. Sharir, Computing the volume of the union of cubes, *Proc. 23rd ACM Sympos. on Computational Geometry* (2007), 294–301.
187. B. Aronov, S. Har-Peled and M. Sharir, On approximate halfspace range counting and relative epsilon approximations. *Proc. 23rd ACM Sympos. on Computational Geometry* (2007), 327–336.
188. H. Kaplan, N. Rubin and M. Sharir, Linear data structures for fast ray shooting amidst convex polyhedra, *Proc. European Symposium on Algorithms* (2007), 287–298.
189. E. Ezra and M. Sharir, Almost tight bound for the union of fat tetrahedra in three dimensions, *Proc. 48th IEEE Sympos. on Foundations of Computer Science* (2007), 525–535.
190. N. Alon, H. Kaplan, G. Nivasch, M. Sharir and S. Smorodinsky, Weak ε -nets and interval chains, *Proc. 19th ACM-SIAM Sympos. on Discrete Algorithms* (2008), 1194–1203.
191. N. Alon, D. Halperin, O. Nechushtan and M. Sharir, The complexity of the outer face in random arrangements of segments, *Proc. 24th ACM Sympos. on Computational Geometry* (2008), 69–78.
192. A. Dumitrescu, M. Sharir and Cs.D. Tóth, Extremal problems on triangle areas in two and three dimensions, *Proc. 24th ACM Sympos. on Computational Geometry* (2008), 208–217.
193. P.K. Agarwal, D.Z. Chen, S.K. Ganjugunte, E. Misiólek, M. Sharir and K. Tang, Stabbing convex polygons with a segment or a polygon, *Proc. 16th European Symposium on Algorithms* (2008), 52–63.

194. H. Kaplan, N. Rubin and M. Sharir, Line transversals to convex polyhedra in \mathbf{R}^3 , *Proc. 20th ACM-SIAM Sympos. on Discrete Algorithms* (2009), 170–179.
195. B. Aronov, E. Ezra and M. Sharir, Small-size ε -nets for axis-parallel rectangles and boxes, *Proc. 41st ACM Sympos. on Theory of Computing* (2009), 639–648.
196. P. K. Agarwal, E. Ezra and M. Sharir, Near-linear approximation algorithms for geometric hitting sets. *Proc. 25th ACM Sympos. on Computational Geometry* (2009), 23–32.
197. R. Apfelbaum and M. Sharir, An improved bound on the number of unit area triangles, *Proc. 25th ACM Sympos. on Computational Geometry* (2009), 135–140.
198. O. Setter, D. Halperin and M. Sharir, Constructing two-dimensional Voronoi diagrams via divide-and-conquer of envelopes in space, *Proc. 6th Annu. Internat. Sympos. Voronoi Diagrams in Science and Engineering (ISVD)* (2009), 43–52.
199. P. K. Agarwal, R. Ben-Avraham and M. Sharir, The 2-center problem in three dimensions, *Proc. 26th ACM Sympos. on Computational Geometry* (2010), 87–96.
200. P. K. Agarwal, J. Gao, L. Guibas, H. Kaplan, V. Koltun, N. Rubin and M. Sharir, Stable Delaunay graphs, *Proc. 26th ACM Sympos. on Computational Geometry* (2010), 127–136.
201. H. Kaplan, N. Rubin and M. Sharir, A kinetic triangulation scheme for moving points in the plane, *Proc. 26th ACM Sympos. on Computational Geometry* (2010), 137–146.
202. M. Sharir, A. Sheffer and E. Welzl, On degrees in random triangulations, *Proc. 26th ACM Sympos. on Computational Geometry* (2010), 297–306.
203. Gy. Elekes and M. Sharir, Incidences in three dimensions and distinct distances in the plane, *Proc. 26th ACM Sympos. on Computational Geometry* (2010), 413–422.
204. H. Kaplan, M. Katz, G. Morgenstern and M. Sharir, Optimal cover of points by disks in a simple polygon, *Proc. 18th European Symposium on Algorithms* (2010), 475–486.
205. N. Rubin, H. Kaplan and M. Sharir, Improved bounds for geometric permutations, *Proc. 51st IEEE Sympos. on Foundations of Computer Science* (2010), 355–364.
206. E. Ezra, B. Aronov, and M. Sharir, Improved bound for the union of fat triangles, *Proc. 22nd ACM-SIAM Sympos. on Discrete Algorithms* (2011), 1778–1785.
207. M. Hoffmann, M. Sharir, A. Sheffer, Cs. D. Tóth and E. Welzl, Counting plane graphs: Flippability in triangulations and its applications, *Proc. 12th Workshop on Algorithms and Data Structures* (2011), 524–535.
208. H. Kaplan, S. Mozes, Y. Nussbaum and M. Sharir, Submatrix maximum queries in Monge matrices and Monge partial matrices, and their applications, *Proc. 23rd ACM-SIAM Sympos. on Discrete Algorithms* (2012), 338–355.
209. A. Sheffer, M. Sharir, and E. Welzl, Counting plane graphs: Perfect matchings, spanning cycles, and Kasteleyn’s technique, *Proc. 28th ACM Sympos. on Computational Geometry* (2012), 189–198.
210. H. Kaplan and M. Sharir, Finding the maximal empty disk containing a query point, *Proc. 28th ACM Sympos. on Computational Geometry* (2012), 287–292.
211. P. K. Agarwal, J. Matoušek, and M. Sharir, On range searching with semialgebraic sets II, *Proc. 53rd IEEE Sympos. on Foundations of Computer Science* (2012), 420–429.
212. A. Sheffer and M. Sharir, Counting plane graphs: Cross-graph charging schemes, *Proc. 20th Internat. Sympos. Graph Drawing* (2012), 19–30.
213. P. K. Agarwal, R. Ben Avraham, H. Kaplan and M. Sharir, Computing the discrete Fréchet distance in subquadratic time, *Proc. 24th ACM-SIAM Sympos. on Discrete Algorithms* (2013), 156–167.

214. D. Aiger, H. Kaplan and M. Sharir, Reporting neighbors in high-dimensional Euclidean spaces, *Proc. 24th ACM-SIAM Sympos. on Discrete Algorithms* (2013), 784–803.
215. M. Sharir, A. Sheffer, and J. Zahl, Improved bounds for incidences between points and circles, *Proc. 29th ACM Sympos. on Computational Geometry* (2013), 97–106.
216. P. K. Agarwal, H. Kaplan and M. Sharir, Union of random Minkowski sums and network vulnerability analysis, *Proc. 29th ACM Sympos. on Computational Geometry* (2013), 177–186.
217. M. Sharir and N. Solomon, Incidences between points and lines in four dimensions, *Proc. 30th Sympos. on Computational Geometry* (2014), 189–197.
218. O. Raz, M. Sharir, and J. Solymosi, On triple intersections of three families of unit circles, *Proc. 30th Sympos. on Computational Geometry* (2014), 198–205.
219. T. Kaminker and M. Sharir, Finding the largest disk containing a query point in logarithmic time with linear storage, *Proc. 30th Sympos. on Computational Geometry* (2014), 206–213. Also in arXiv:1310.3388.
220. O. Raz, M. Sharir, and J. Solymosi, Polynomials vanishing on grids: The Elekes–Rónyai problem revisited, *Proc. 30th Sympos. on Computational Geometry* (2014), 251–260. Also in arXiv:1401.7419.
221. R. Ben Avraham, O. Filtser, H. Kaplan, M. Katz, and M. Sharir, The discrete and semi-continuous Fréchet distance with shortcuts via approximate distance counting and selection, *Proc. 30th Sympos. on Computational Geometry* (2014), 377–386.
222. R. Ben Avraham, M. Henze, R. Jaume, B. Keszegh, O. Raz, M. Sharir, and I. Tubis, Minimum partial matching and Hausdorff RMS-distance under translation: Combinatorics and algorithms, *Proc. 22nd European Sympos. Algorithms* (2014), LNCS 8737, Springer, 100–111.
223. O. Gold and M. Sharir, Complexity of the Fréchet distance in metrics L_1 and L_∞ , *Proc. Euro-CG* (2015).
224. M. Sharir, S. Smorodinski, C. Valculescu and F. de Zeeuw, Distinct distances between points and lines, *Proc. Euro-CG* (2015).
225. O. Raz, M. Sharir, and F. de Zeeuw, Polynomials vanishing on Cartesian products: The Elekes–Szabó theorem revisited, *Proc. 31st Sympos. on Computational Geometry* (2015), 522–536.
226. M. Sharir and N. Solomon, Incidences between points and lines in three dimensions, *Proc. 31st Sympos. on Computational Geometry* (2015), 553–568.
227. O. Raz and M. Sharir, The number of unit-area triangles in the plane: Theme and variations, *Proc. 31st Sympos. on Computational Geometry* (2015), 569–583.
228. M. Sharir, A. Sheffer and N. Solomon, Incidence with curves in \mathbf{R}^d , *Proc. 23rd European Sympos. Algorithms* (2015), Springer LNCS 9294, 977–988.
229. M. Sharir and N. Solomon, Incidences between points and lines in \mathbf{R}^4 , *Proc. 56th IEEE Sympos. on Foundations of Computer Science* (2015), 1378–1394.
230. S. Har-Peled, H. Kaplan and M. Sharir, Approximating the k -level in three-dimensional plane arrangements, *Proc. 27th ACM-SIAM Sympos. on Discrete Algorithms* (2016), 1193–1212. Also in arXiv:1601.04755.
231. B. Aronov and M. Sharir, Almost tight bounds for eliminating depth cycles in three dimensions, *Proc. 48th ACM Sympos. on Theory of Computing* (2016), 1–8. Also in arXiv:1512.00358.
232. B. Aronov, E. Miller, and M. Sharir, Eliminating depth cycles among triangles in three dimensions, *Proc. 28th ACM-SIAM Sympos. on Discrete Algorithms* (2017), 2476–2494. Also in arXiv:1607.06136.

233. M. Sharir and N. Solomon, Incidences between points and surfaces and points and curves, and distinct and repeated distances in three dimensions, *Proc. 28th ACM-SIAM Sympos. on Discrete Algorithms* (2017), 2456–2475. Also in arXiv:1610.01560.
234. H. Kaplan, W. Mulzer, L. Roditty, P. Seiferth, and M. Sharir, Dynamic planar Voronoi diagrams for general distance functions and their algorithmic applications, *Proc. 28th ACM-SIAM Sympos. on Discrete Algorithms* (2017), 2495–2504. Also in arXiv:1604.03654.
235. E. Ezra and M. Sharir, A nearly quadratic bound for the decision tree complexity of k -SUM, *Proc. 33rd Sympos. on Computational Geometry* (2017), 41:1–41:15.
236. O. Gold and M. Sharir, Dynamic time warping: Breaking the quadratic barrier, *Proc. 44th Int. Colloq. Automata, Languages, Programming* (2017), 25:1–25:14. Also in arXiv:1607.05994.
237. P. K. Agarwal, N. Rubin, and M. Sharir, Approximate nearest neighbor search amid higher-dimensional flats, *Proc. 25th European Sympos. Algorithms* (2017), 4:1–4:13.
238. H. Kaplan, R. Sasanka, and M. Sharir, Finding axis-parallel rectangles of fixed perimeter or area containing the largest number of points, *Proc. 25th European Sympos. Algorithms* (2017), 52:1–52:13.
239. D. Aiger, H. Kaplan, and M. Sharir, Output sensitive algorithms for approximate incidences and their applications, *Proc. 25th European Sympos. Algorithms* (2017), 5:1–5:13.
240. O. Gold and M. Sharir, Improved bounds for 3SUM, k -SUM, and linear degeneracy, *Proc. 25th European Sympos. Algorithms* (2017), 42:1–42:13. Also in arXiv:1512.05279.
241. O. Gold and M. Sharir, Dominance products and faster algorithms for high-dimensional closest pair under L_∞ , *Proc. 28th Internat. Sympos. Algorithms and Computation* (2017), 39:1–39:12. Also in arXiv:1605.08107.
242. M. Sharir, Algebraic techniques in geometry: The 10th anniversary, *Proc. ACM Internat. Sympos. Symbolic and Algebraic Computation* (2018), 1–5.
243. P. Gawrychowski, H. Kaplan, S. Mozes, M. Sharir and O. Weimann, Voronoi diagrams on planar graphs, and computing the diameter in deterministic $\tilde{O}(n^{5/3})$ time, *Proc. 29th ACM-SIAM Sympos. on Discrete Algorithms* (2018), 495–514. Also in arXiv:1704.02793.
244. P. K. Agarwal, H. Kaplan and M. Sharir, Union of hypercubes and 3d Minkowski sums with random sizes, *Proc. 45th Int. Colloq. Automata, Languages, Programming* (2018), 10:1–10:15.
245. P. K. Agarwal, H. Kaplan, G. Kipper, W. Mulzer, G. Rote, M. Sharir, and A. Xiao, Approximate minimum-weight matching with outliers under translation, *Proc. 29th Internat. Sympos. Algorithms and Computation* (2018), 26:1–26:13. Also in arXiv:1810.10466.
246. S. Har-Peled, H. Kaplan, W. Mulzer, L. Roditty, P. Seiferth, M. Sharir, and M. Willert, Stabbing pairwise intersecting disks by five points, *Proc. 29th Internat. Sympos. Algorithms and Computation* (2018), 50:1–50:12. Also in *Proc. 18th Euro-CG* (2018), 29:1–29:6. Also in arXiv:1801.03158.
247. H. Kaplan, K. Klost, W. Mulzer, L. Roditty and M. Sharir, Testing transmission graphs for acyclicity. In *Proc. 19th Euro-CG* (2019).
248. M. Sharir and C. Ziv, On levels in arrangements of pseudo-planes in three dimensions. *Proc. 35th Sympos. on Computational Geometry* (2019), 62:1–62:15. Also in arXiv:1903.07196.
249. D. Aiger, H. Kaplan, E. Kokiopoulou, M. Sharir and B. Zeisl, General techniques for approximate incidences and their application to the camera posing problem. *Proc. 35th Sympos. on Computational Geometry* (2019), 8:1–8:14. Also in arXiv:1903.07047.
250. H. Kaplan, K. Klost, W. Mulzer, L. Roditty and M. Sharir, Triangles and girth in disk graphs and transmission graphs. *Proc. 27th European Sympos. Algorithms* (2019), 64:1–64:14. Also in arXiv:1907.01980.

251. M. Sharir and O. Zlydenko, Incidences with curves with almost two degrees of freedom, *Proc. 36th Sympos. on Computational Geometry* (2020), 66:1–66:14. Also in arXiv:2003.02190.
252. H. Kaplan, M. Sharir and U. Stemmer, How to find a point in the convex hull privately, *Proc. 36th Sympos. on Computational Geometry* (2020), 52:1–52:15. Also in arXiv:2003.13192.
253. B. Aronov, E. Ezra and M. Sharir, Testing polynomials for vanishing on Cartesian products of planar point sets, *Proc. 36th Sympos. on Computational Geometry* (2020), 8:1–8:14. Also in arXiv:2003.09533.
254. D. Halperin, M. van Kreveld, G. Miglioli-Levy and M. Sharir, Space aware reconfiguration, *Proc. 14th Workshop on Algorithmic Foundations of Robotics (WAFR 2020)*, 37–53. Also in arXiv:2006.04402.
255. P.K. Agarwal, M. Sharir and A. Steiger, Decomposing the complement of the union of axis-parallel cubes in three dimensions, *Proc. 32nd ACM-SIAM Sympos. on Discrete Algorithms* (2021), 1425–1444.
256. E. Ezra and M. Sharir, On ray shooting for triangles in 3-space and related problems, *Proc. 37th Sympos. on Computational Geometry* (2021), 34:1–34:15. Also in arXiv:2102.07310.
257. E. Ezra, O. Raz, M. Sharir and J. Zahl, On rich lenses in arrangements of circles and related problems, *Proc. 37th Sympos. on Computational Geometry* (2021), 35:1–35:15. Also in arXiv:2012.04204.
258. D. Halperin, M. Sharir and I. Yehuda, Throwing a sofa through the window, *Proc. 37th Sympos. on Computational Geometry* (2021), 41:1–41:16. Also in arXiv:2102.04262.
259. M. Sharir and N. Solomon, On rich points and incidences with restricted sets of lines in 3-space, *Proc. 37th Sympos. on Computational Geometry* (2021), 56:1–56:14. Also in arXiv:2012.11913.
260. B. Aronov, M. de Berg, J. Cardinal, E. Ezra, J. Iacono and M. Sharir, Subquadratic algorithms for some 3SUM-hard geometric problems in the algebraic decision-tree model, *Proc. 32nd Internat. Sympos. Algorithms and Computation* (2021), 3:1–3:15. Also in arXiv:2109.07587.
261. Z. Patáková and M. Sharir, Covering points by hyperplanes and related problems. *Proc. 38th Sympos. on Computational Geometry* (2022), 57:1–57:7.
262. P. K. Agarwal, B. Aronov, E. Ezra, M. Katz and M. Sharir, Intersection queries for flat semi-algebraic objects in three dimensions and related problems, *Proc. 38th Sympos. on Computational Geometry* (2022), 4:1–4:14. Also in arXiv:2203.10241.
263. E. Ezra, M. Sharir, and T. Tsabari, Ray shooting amid tetrahedra in four dimensions, *Proc. 38th EuroCG* (2022), 36:1–36:5.
264. B. Aronov, E. Ezra, M. Sharir and G. Zigdon, Time and space efficient collinearity indexing, *Proc. 38th EuroCG* (2022), 52:1–52:6.
265. E. Ezra and M. Sharir, Intersection searching amid tetrahedra in 4-space and efficient continuous collision detection, *Proc. 30th European Sympos. Algorithms* (2022), 51:1–51:17. Also in arXiv:2208.06703.
266. P. K. Agarwal, M. Katz and M. Sharir, On reverse shortest paths in geometric proximity graphs, *Proc. 33rd Internat. Sympos. Algorithms and Computation* (2022), 42:1–42:19.
267. B. Aronov, E. Ezra, M. Sharir and G. Zigdon, Space efficient collinearity testing, *Fall Workshop on Computational Geometry* (2022).
268. J. Cardinal and M. Sharir, Improved algebraic degeneracy testing, *Proc. 39th Sympos. on Computational Geometry* (2023), 22:1–22:16. Also in arXiv:2212.03030.
269. H. Kaplan, M. J. Katz, R. Saban and M. Sharir, The unweighted and weighted reverse shortest path problem for disk graphs, *Proc. 31st European Sympos. Algorithms* (2023), 67:1–67:14. Also in arXiv:2307.14663.

- 270. P. K. Agarwal, E. Ezra and M. Sharir, Vertical decomposition in 3D and 4D with applications to line nearest-neighbor searching in 3D, *Proc. 35th ACM-SIAM Sympos. on Discrete Algorithms* (2024), 150–170. Also in arXiv:2311.01597.
- 271. P. K. Agarwal, D. Halperin, M. Sharir and A. Steiger, Near-optimal min-sum motion planning for two square robots in a polygonal environment, *Proc. 35th ACM-SIAM Sympos. on Discrete Algorithms* (2024), 4942–4962. Also in arXiv:2310.20615.
- 272. P. K. Agarwal, E. Ezra and M. Sharir, Semi-algebraic off-line range searching and biclique partitions in the plane, *Proc. 40th Sympos. on Computational Geometry* (2024), 4:1–4:15. Also in arXiv:2403.12276.
- 273. P. K. Agarwal, E. Ezra and M. Sharir, Lower envelopes of surface patches in 3-space, *Proc. 32nd European Sympos. Algorithms* (2024), 6:1–6:17.
- 274. P. K. Agarwal, H. Kaplan, M. J. Katz and M. Sharir, Segment proximity graphs and nearest neighbor queries amid disjoint segments, *Proc. 32nd European Sympos. Algorithms* (2024), 7:1–7:20.
- 275. M. J. Katz, R. Saban and M. Sharir, Near-linear algorithms for visibility graphs over a 1.5-dimensional terrain, *Proc. 32nd European Sympos. Algorithms* (2024), 77:1–77:17.
- 276. E. Ezra and M. Sharir, Incidences between curves and points on the grid, *Proc. 36th Internat. Sympos. Algorithms and Computation* (2025), 30:1–30:20.
- 277. M. J. Katz, R. Saban and M. Sharir, BFS and reverse shortest paths for ball intersection graphs in three and higher dimensions, *Proc. 36th Internat. Sympos. Algorithms and Computation* (2025), 45:1–45:15.
- 278. P. K. Agarwal, E. Ezra and M. Sharir, Computing the heaviest disk and related problems. *Proc. 37th ACM-SIAM Sympos. on Discrete Algorithms* (2026), 3745–3759.
- 279. P. K. Agarwal, M. J. Katz and M. Sharir, Dynamic nearest-neighbor searching under general metrics in \mathbf{R}^3 and its applications, *Proc. 42nd Sympos. on Computational Geometry* (2026), to appear.